Western Treatment Plant (WTP)

Venue and Safety Information

Please complete the following important actions in preparation for your tour:

- □ All teachers and adults to read this information.
- Ensure all visitors wear long pants and flat enclosed shoes on the day.
- Visitors are strongly encouraged to maintain a current COVID-19 vaccination status or have a valid medical exemption.
- Return a signed copy of the attached form upon arrival for your tour.

Site clothing and safety	All visitors to the Western Treatment Plant must wear the following essential clothing while on site:		
	 Flat, enclosed footwear, long pants and long sleeves. Sandals or thongs are not permitted on-site. Shoes with heels are not recommended. 		
	Failure to comply with the above clothing requirements can result in exclusion of participants from exiting the bus on tour.		
	Visitors should also bring:		
	 Clothing appropriate to protect against weather including sunscreen, hat and raincoat or rain jacket (as required). 		
	First Aid Kit.		
Fire Safety and Air Quality	Western Treatment Plant tours will be cancelled on Total Fire Ban days and Extreme or Code Red Fire Danger Ratings. Tours to the wetlands will be cancelled in the event of a "Severe" forecast.		
	If a day is declared very poor or hazardous air quality then all Western Treatment Plant tours will be cancelled.		
Accessibility	Tours of the Western Treatment Plant are suitable for those with a walking disability (i.e. requiring a wheelchair, walking frame or similar aid).		
Emergencies	Melbourne Water Education Officers will evacuate the group in an emergency.		
	In an emergency, visitors should adhere to the instructions given by designated fire wardens (identified by yellow/red/white hats and high visibility vests).		
Public liability cover	Melbourne Water has the appropriate public liability cover.		
Medical Support	At Melbourne Water your safety is paramount. If you have injured yourself at our sites, we are committed to support you in your recovery. Please speak with our staff for more information.		
Contact details	Organisation:	Melbourne Water	
	Mailing address:	PO Box 4342, Melbourne, VIC 3001	
	Street address:	1 William Thwaites Dr, Cocoroc VIC 3030	
Phone number: 131 722 and ask to be connect Program		131 722 and ask to be connected to the Education Program	
	Web address: Western Treatment Plant and sewage treatment Melbourne Water		
		Melhourne	



Melbourne Water is owned by the Victorian Government. We manage Melbourne's water supply catchments, remove and treat most of Melbourne's sewage, and manage rivers and creeks and major drainage systems throughout the Port Phillip and Westernport region.



Activity	Potential Risks & Hazards	Responsibility	Control Strategies	
Arrival and Departure	Injuries caused by road accidents	All visitors	 Licensed and competent driver. Failure to comply can result in the full cancellation of the tour. Passengers must wear seat belts if available. All bags must be on laps or underneath seats. Buses must park in the appropriate parking area. Use designated walking paths at a walking pace only. 	
	Injuries caused by trips, slips and falls or bites and stings	All visitors	 All visitors must wear flat, enclosed shoes, long pants and long sleeves. Use designated walking paths at a walking pace only. 	
	Missing visitors	All visitors Melbourne Water staff	 Visitors must report as a group to the designated check in. Details of group numbers, time of arrival and departure, is to be provided on arrival by the group representative. This includes the bus driver. 	
Bus Tour: 2 hours	COVID Safety	All visitors	 Everyone is to adhere to the Stay Safe Directions (Victoria) currently in force <u>Pandemic Order Register </u> <u>health.vic.gov.au</u> Visitors must maintain COVID safe practices. Visitors must adhere to current face mask requirements as outlined at <u>Face masks -</u> <u>when to wear a face mask Coronavirus</u> <u>Victoria</u> All visitors must practice physical distancing where possible maintain 1.5 metres. Avoid interactions in enclosed spaces. Interaction will occur outside where possible. Open windows and doors – if safe to do so - to enhance airflow. No-one is to visit when unwell. You must stay at home if diagnosed with COVID-19 	

Western Treatment Plant - Venue and Safety Information (VCE groups)



Melbourne Water is owned by the Victorian Government. We manage Melbourne's water supply catchments, remove and treat most of Melbourne's sewage, and manage rivers and creeks and major drainage systems throughout the Port Phillip and Westernport region.



Activity	Potential Risks & Hazards	Responsibility	Control Strategies	
		Melbourne Water staff	 or are a close contact with a diagnosed person. Practise good hygiene - sanitise hands frequently, cover your mouth when coughing, avoid touching your eyes, nose and mouth. All visitors to the Western Treatment Plant will be recorded using a digital system. If visitors don't comply with these conditions then they will be asked to leave to ensure the safety of all. Provide a safety briefing by Melbourne Water staff at the start of the session. COVIDSafe training of staff to follow current public health directions. Practice good hygiene. COVIDSafe PPE including safety glasses when needed. Gloves to be worn when opening and closing gates. 	
	Injuries caused by tripping, bites and falls	Melbourne Water staff All visitors	 Safety briefing by Melbourne Water staff at the start of the session. All visitors must wear flat, enclosed shoes, long pants and long sleeves. Use designated walking paths at a walking pace only. 	
	Potential for microbial infection Exposure to sun, wind and rain	Melbourne Water staff All visitors	 Site safety briefing prior to tour. All visitors should: Ensure any open wounds are covered. Wear enclosed footwear, long trousers and long sleeves. Follow the instructions of Melbourne Water staff at all times. Not eat or drink during the tour. Wash hands with soap and water at the end of the tour. Application of sunscreen and the wearing of hats and/or raincoats are recommended. 	
		Melbourne Water staff	 Long sleeves are advisable. Group will stay on bus during inclement weather. Tour may be cancelled in the case of extreme weather conditions. 	





Activity	Potential Risks & Hazards	Responsibility	Control Strategies	
Injuries caused by accidents	caused by road	Melbourne Water staff	 Brief the bus driver about the tour route Caution bus driver about road conditions on site. Supervise visitors near roads. Visitors to obey road rules, speed limits and other signs at WTP. Failure to comply with the above requirements can result in the full cancellation of the tour. 	
		All visitors	 Licensed and competent bus driver. Passengers must wear seat belts if available. All bags must be on laps or underneath seats. 	
	Exposure to sun, wind and rain	All visitors	 Application of sunscreen and the wearing of hats and/or raincoats are recommended. Group will stay on bus during inclement weather. 	
	Bus breakdowns	Melbourne Water staff	 Adherence to instructions from Melbourne Water staff. In the event that people need to exit the bus, make sure it is safe before proceeding. Everyone must wear flat, enclosed shoes, long pants and long sleeves. 	
	Bushfires	Melbourne Water staff	 People will not be put in high risk environments during "Severe", "Extreme" or "Code Red" fire danger days. All tours will be cancelled in the event of a total fire ban day and "Extreme" or "Code Red" forecasts. Tours to the wetlands will be cancelled in the event of a "Severe" forecast. Emergency evacuation plans will be implemented. 	
	Chlorine Leak	Melbourne Water staff	 An alarm will sound in the event of a chlorine leak. All Interpretation Officers have been site inducted and are aware of chlorine leak procedures/ emergency plan. Direct bus away from the disinfection plant (map of evacuation points contained in staff backpack). 	



This form needs to be signed by all teachers prior to commencing sessions at the Western Treatment Plant.

I, the undersigned of______ (organisation) on ____/____ acknowledge that I have read, understood and agree to the above conditions for participation in a tour of the Western Treatment Plant. I will be held responsible for my own actions.

Name	Signature	Name	Signature
1.		26.	
2.		27.	
3.		28.	
4.		29.	
5.		30.	
6.		31.	
7.		32.	
8.		33.	
9.		34.	
10.		35.	
11.		36.	
12.		37.	
13.		38.	
14.		39.	
15.		40.	
16.		41.	
17.		42.	
18.		43.	
19.		44.	
20.		45.	
21.		46.	
22.		47.	
23.		48.	
24.		49.	
25.		50.	



