

1 2 3 4 5 6 7 8 9 10 11 12

A

B

C

D

E

F

G

H

A

B

C

D


E

F


G

H

300MM TYCO RESILIENT SEATED GATE VALVE (OR EQUIVALENT)



TWIN CHAMBER OUTFALL PIT PLAN VIEW




TWIN CHAMBER OUTFALL PIT SECTION B-B



CONCRETE WING WALL PHOTO

NOTE:

- REFER TO 7251/12/006 FOR ADDITIONAL PIT DETAIL (VALVE CLEARANCE, COMPONENT LABELS, DIMENSIONS ETC.).
- PIPE IS TO BE SIZED BY DESIGNER TO CONVEY Q100 AND EDD.
- CONCRETE HEADWALL REQUIRES STRUCTURAL ASSESSMENT.
- 625MM SIDEWINDER NOTCH SHOULD TYPICALLY BE ADOPTED FOR CATCHMENTS >60HA.
- PIT LID TO BE FLUSH WITH FINISH SURFACE LEVEL.
- PIT LID TO BE IN ACCORDANCE WITH AS1650.
- PIT LID DESIGNED TO SUIT.



TWIN CHAMBER OUTFALL PIT SECTION A-A

CONCEPT ONLY
NOT TO SCALE

										TITLE OUTFALL EXAMPLE TYPE 3 TWIN CHAMBER OUTFALL PIT SHEET 2 OF 2				
							DRAFTER DRAFTING CHECK		DESIGNER ENGINEERING REVIEW		DESIGN MANAGER APPROVAL		PROJECT MANAGER APPROVAL	
							PROJECT DATUM		Original Size		MELBOURNE WATER CORPORATION			
							SCALE		CODE		7251/12/4007		MWC DRAWING NUMBER	
REV	DESCRIPTION	COMPANY	PROJECT OR WO NUMBER	DRAWN	ENG. CHECK	PR. MAN. APPD.	DATE							
1														

1 2 3 4 5 6 7 8 9 10 11 12