	Table 1. Hoddles Creek SFMP Annual Report Checkli	ist		2024-25
escription No.	Prescription PERMISSIBLE CONSUMPTIVE VOLUME (PCV)	Compliance	Supporting Data PCV Orders made by the Minister for Water	Comments
8	8.1 The recommended permissible annual volume of surface water in the Protection Area is 1207 ML plus the volume of registration licences and any licences issued under section 51A. 8.2 Melbourne Water may, from time to time, request the Minister to declare a new permissible annual volume which reflects the volume of all-year licences surrendered or cancelled in, or transferred out of, the Protection Area since the Minister last declared a permissible annual volume. Note: Section 22A gives the Minister power to declare a permissible annual volume from time to time by Order published in the Government Gazette. Section 51(1A) allows a person to apply for a registration licence during the period 1 July 2002 and 30 June 2003. Section 51A allows a person to surrender a registration licence and apply for a licence under section 51(1)(a) or (ba) and Melbourne Water must within 14 days issue a licence for the same annual volume as the registration licence.	Yes	PLV Orders made by the Minister for Water	No Change to PCV
9	PROHIBITIONS ON GRANTING NEW LICENCES 9.1 Melbourne Water must refuse an application under section 51(1)(a) or (ba) of the Act in the Protection Area, if in its opinion, the approval of the application will or may cause: (a) subject to clause 9.3, the total volume of water taken and used in the Protection Area in any year under all-year licences to exceed 457 ML plus the volume of registration licences and any licence issued under section 51A; or (b) the total volume of water taken from waterways or collected in dams in the Protection Area under any winter-fill licences during a winter-fill period, to exceed 750 ML. Note: Section 55(2B) of the Act also prevents Melbourne Water from granting a licence if, in its opinion, the allocation or use of water under the licence will or may result in the permissible annual volume for that year or a future year, being exceeded. 9.2 By 1 October 2003, Melbourne Water must determine and notify the Minister of, the total volume of water for which: (a) licences have been issued under section 51A; and (b) registration licences have been issued under section 51(1A), of the Act within the Protection Area. 9.3 The volume referred to in 9.1(a) will reduce to reflect the volume of all-year licence, other than a registration licence, surrendered, cancelled or transferred out of the Protection Area.	Yes	Diversions Data Model and Reporting-20240102 - Pow	Management of Licence volumes are well within the allocation caps
10	TRANSFERRING LICENCES Note: Section 62 of the Act empowers Melbourne Water to approve an application temporarily or permanently to transfer a licence. 10.1 Subject to clause 10.2, Melbourne Water must not approve an application to transfer a licence, to take water from a waterway, or to collect water in a dam at a location: (a) upstream of Yellow Gum Road, unless the proposed transferee will take or collect water under the transferred licence downstream of that location; or (b) outside the Protection Area to a location within the Protection Area unless the target stream flow at the Launching Place gauging station of 6.9 ML per day in the period from 1 December to 31 May in any year can be achieved. 10.2 Melbourne Water may approve the transfer of a licence resulting from the transfer or conveyance of land providing the location at which water is taken or collected will not, change.	Yes	Victorian Water Register	All transfers were permanent and stayed within the Hoddles Creek catchment. All transfers in accordance with Melbourne Water's requirements as delegated Diversions Manager and prescription 10.
11	NEW DAMS After the commencement of this Plan, Melbourne Water must not issue any licence under section 67 of the Act to construct a dam on a waterway within the Protection Area.	Yes	Number of new dam on waterway licences.	Compliant
12	ROSTERS AND RESTRICTIONS 12.1 Melbourne Water may, from time to time, prepare and implement rosters or restrictions or other arrangements for taking and using water, in accordance with the principles specified in Schedule 3.	Yes	https://inflo.mwc.melbournewater.com.au/inflo/cs.e e/properties/71127344	No rosters or restrictions developed for Hoddles Creek to date. Low number of users at present accessing water.
13	LICENCE CONDITIONS For the purposes of section 32A(12) of the Act, a licence granted under section 51(1)(a) or (ba) or renewed under section 58 of the Act for a purpose specified in Schedule 4 is subject to each condition set out in that Schedule, in relation to that purpose.	Yes	Victorian Water Register	Occurring
14	STREAM FLOW MONITORING PROGRAM Melbourne Water must: (a) continuously record the flows at the Launching Place gauging station; and (b) periodically record flows at the gauge-board at Hazeldene Road when it considers it appropriate to do so; and (c) periodically inspect the condition of the Launching Place gauging station; and (d) maintain the Launching Place gauging station in good condition; and (e) keep a record of each inspection and all work undertaken under paragraph (a), (b), (c) or (d).	Yes		Occurring as required and used to determine Bans and Restrictions. Refer to Melbourne Water Website.
15	INSTALLING METERS 15.1 After the commencement of this Plan, Melbourne Water must, as soon as practicable, ensure that a flow meter is installed to measure water taken for irrigation or commercial purposes under any licence which has been or is thereafter granted within the Protection Area under section 51(1)(a) or (ba) or 51(1A) of the Act. 15.2 Melbourne Water must: (a) periodically inspect the condition of each flow meter installed under sub-clause 15.1; and (b) maintain each flow meter in good condition; and (c) replace any damaged flow meter; and (d) keep a record of all work done under paragraph (b) and (c).	Yes	Hoddles Creek Melbourne Water Diversions Data Model and Reporting-20240102 - Pov	Meter maintenance data captured in Melbourne Water's Asset Management system (Maximo). Maintenance of meters is scheduled every 3 years. Program available from Diversion team.
16	READING METERS Melbourne Water must: (a) read each meter referred to in sub-clause 15.1 at least: (i) once in every year in the case of an all-year licence; and (ii) shortly after the beginning and end of the winter-fill period in every year, in the case of a winter-fill licence; and (b) record, for each meter: (i) the reading obtained; and (iii) the number of the relevant licence; and (iii) the date on which the meter is read; and (iv) any information about the accuracy of the meter which Melbourne Water considers relevant; and (c) if a meter becomes defective, registers incorrectly or is removed for any reason, estimate the correct registration in any of the following ways: (i) by comparison with the quantity of water taken under similar conditions during some other period; or (ii) by comparison with the quantity of water taken after the meter has been restored to proper order; or (iii) by comparison with the registration of a substitute meter used temporarily in place of the defective meter; or (iv) by applying a correction factor if the meter is found to have a consistent error of registration.	Yes	Diversions Database	Meter readings carried out in accordance with this clause. Dates and readings recorded in Diversions database.
17	MAINTAINING ENVIRONMENTAL FLOWS 17.1 For the purposes of this clause, a licensee is the holder of a licence issued under section 51(1)(a) of the Act for any purpose other than domestic and stock use. 17.2 1 December to 31 May (a) Melbourne Water must do its best to ensure that, during the period 1 December to 31 May in any year, a licensee does not take any water from a waterway when the average streamflow at Launching Place gauging station: (i) is 4ML or less per day, at any time before 31 July 2004; or (ii) is 5ML or less per day, at any time after 31 July 2004. (b) Melbourne Water must, from time to time, when circumstances permit, propose achievable amendments to sub-paragraph 17.2 (a)(i) and (ii), until a target of 6.9 ML per day is attained. 17.3 1 June to 30 November Melbourne Water must do its best to ensure that, a licensee does not take any water from a waterway when the average streamflow at Launching Place gauging station is: (a) 10 ML or less per day, at any time during the period of 1 June to 31 October; and (b) 6.9 ML or less per day, at any time during the month of November.	Yes	Diversions Database	Compliance with licence conditions is monitored using: • Usage data from meters in the catchment; • Acting on reports of non-compliance from the public; and • Undertaking spot checks
18	MONITORING THE IMPLEMENTATION OF THE PLAN 18.1 Within 12 months after the commencement of this Plan, Melbourne Water must propose to the Minister a program to monitor the implementation of the Plan. 18.2 A program proposed under sub-clause 18.1 must include arrangements to monitor: (a) the effects of the Plan on the reliability of supply to licensees within the Protection Area; and (b) the ability of the provisions to maintain environmental flows set out in clause 17; and (c) in-stream environmental indicators within the Protection Area; and (d) indicators against which Melbourne Water's performance in implementing this Plan can be measured. 18.3 The Minister may: (a) approve a plan proposed under sub-clause 18.1; or (b) approve that plan, subject to amendments made by the Minister; or (c) refuse to approve the plan. 18.4 Melbourne Water must implement a plan in the form approved by the Minister under sub-clause 18.3.	Yes	Annual reporting & 5 Year review	Monitoring and Evaluation of the plan occurs to inform the Annual Reporting and regular 5 year review processes. The SFMP monitoring plan currently includes collection of data for environmental DNA (eDNA) identified for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using this eDNA (this is presence/absence and extent within each SFMP). eDNA data is used in the SFMP 5 year reviews to determine if any change in values is required based on findings.
19	REPORTING Note: Section 32C and 32D of the Act requires Melbourne Water to report on its activities in carrying out its duties in relation to this Plan in each financial year and to: (a) give the report to the Minister and the Port Phillip Catchment Management Authority by 30 September in each year; and (b) make a copy available for public inspection at its offices.	Yes	https://www.melbournewater.com.au/media/22606/ download	2023-24 Annual Report submitted and received by the Minister within the agreed timeframe and copy available on Melbourne Water Website.
20	REVIEW OF PLAN Melbourne Water must: (a) review the operation of this Plan: (i) not more than 5 years after it commences; and (ii) thereafter, at intervals of no more than 5 years; and (b) propose any consequential amendment (if any) to the Minister. Note: Sections 29, 31 and 326 of the Act provide for the constitution and convening of a consultative committee to develop any proposed amendment and the process to be followed by the Minister before	Yes	2021 Five Year Review (available upon request)	Last reviewed in 2021, and is planned for next review in 2026/27

Table 2. Hoddles	Creek SFMP a	annual re	porting data
------------------	--------------	-----------	--------------

							•	ig data					
	Year	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	2023-24	2024-25
Permissible Consumptive Volume (PCV)	Total	1,207	1,207	1,207	1,207	1,207	1,207	1,207	1,207	1,207	1,207	1,207	1,207
	Total	36	36	35	35	35	35	36	35	35	35	35	35
	All Year	19	19	18	18	18	18	18	17	17	17	17	17
	Winter-fill	10	10	10	10	10	10	10	10	10	10	10	10
No. of licences	Farm Dam Registration	5	5	5	5	5	5	6	6	6	6	6	6
	Farm Dam Licence	2	2	2	2	2	2	2	2	2	2	2	2
	Total	736	736	674	674	674	674	676	674	674	674	674	674
	All Year	439	439	377	377	377	377	377	375	375	375	375	375
	Winter-fill	168	168	168	168	168	168	168	168	168	168	168	168
Total allocated volume (ML)	Farm Dam Registration	83	83	83	83	83	83	85	85	85	85	85	85
	Farm Dam Licence	46	46	46	46	46	46	46	46	46	46	46	46
No. of metered licences	Total	14	14	13	13	13	13	15	12	12	12	14	14
Volume of licences metered (ML)	Total	533	533	413	413	413	413	458	344	344	344	518	518
Total metered use (ML)	Total	165.5	163.3	181.1	123.8	182.1	165.93	116.72	53.57	97.78	65	130.7	102
Metered use as % of metered allocation	Total	31.10%	30.60%	43.85%	29.98%	44.09%	40.18%	25.48%	15.57%	28.42%	18.90%	25.23%	19.69%
Metered use as % of PCV	Total	13.70%	13.50%	15.00%	10.26%	15.09%	13.75%	9.67%	4.44%	8.10%	5.39%	10.83%	8.45%
Estimated Total Catchment Usage (ML)	Estimate			296	202	297	271	172	105	192	127	170	133
No. of licences with use greater than allocation	Total	0	1	0	0	0	0	0	0	0	0	1	0
Allocation surrendered within the WSPA (ML)	Total	0	0	2	0	0	0	0	2	0	0	0	0
New allocation issued within the WSPA (ML)	Total	0	0	0	0	0	0	2	0	0	0	0	0
Permanent transfers within Water Supply Protection Area (WSPA) (ML)	Total	1	2	0	13	2	2	52	0	12	144	4	0
Temporary transfers within WSPA (ML)	Total	0	0	0	0	0	0	0	0	0	0	0	0
Permanent transfers out of WSPA (ML)	Total	0	0	60	0	0	0	0	0	0	0	0	0
Temporary transfers out of WSPA (ML)	Total	0	0	0	0	0	0	0	0	0	0	0	0
Number of new dam on waterway licences issued	Total	0	0	0	0	0	0	0	0	0	0	0	0
Number of days on ban	Total	95	141	245	153	141	320	137	73	47	30	111	191
Number of days on rosters	Total	n/a	0	0	0								

(-) not previously reported on as an individual figure in the SFMP annual report.

	Table 3. Little Yarra and Don Rivers SFMP Annual Report			2024-25
escription No.	Prescription	Compliance	Supporting Data	Comments
1.	PROHIBITIONS ON GRANTING NEW LICENCES Section 32A(3)(d) of the Act allows for a management Plan to prescribe restrictions or prohibitions on the issue of licences under section 51 or 67. 1.1 Melbourne Water must refuse an application under section 51(1)(a) or (ba) of the Act if this will or may cause the total volume of water taken in any year under licences to exceed: a) The Permissible Consumptive Volume declared for the Yarra Basin; or b) 1,357 ML in the Little Yarra River catchment; or c) 145 ML in the Don River catchment. 1.2 The above prescription applies except where Melbourne Water renews a surface water licence that authorises the use of			Management of Licence volumes are well within the allocation
2	surface water in accordance with any state-wide policy approved by the Minister, and the Permissible Consumptive Volume and total catchment licence volumes are deemed to be adjusted by any additional volume of surface water authorised under the renewed licence. ROSTERING AND RESTRICTIONS Section 32A(3)(g) of the Act allows for a management Plan to prescribe restrictions to be imposed on the taking of surface water at any locations specified in the area, if necessary to ensure that – (i) specified flows at any particular time or for any activates (crimestance are maintained or (ii) the permissible consumption of the area is not exceeded or (iii) the		Diversions Data Model and Reporting-20240102 - Pou	
	particular circumstance are maintained; or (ii) the permissible consumptive volume for the area is not exceeded; or (iii) the environmental water reserve is maintained in accordance with the environmental water reserve objective. Melbourne Water may prepare and implement rosters or restrictions to specify a maximum volume or percentage allocation of water that a licensee may take or use on any rostered day (or lesser roster period). In developing rosters or restrictions Melbourne Water must have regard to: (i) The relative requirements of different crops and other uses of land for water; (ii) Differences between the types of licence, maximum volumes which may be taken under licences, and pumping capacities; and (iii) The need for all licensees to have fair and reasonable access to available water, give the matters referred to in subparagraphs (i) and (ii) above. 2.1 The rostering and restriction arrangement for the Little Yarra River will remain as outlined in Melbourne Water's Drought Response Plan (2007). To enable efficient use, individual metering times can be altered as agreed to with Melbourne Water. The rostering and restrictions for the Little Yarra River are – A maximum of 7 hours between 6am & 9am and 6pm & 10pm on allocated group days, or as agreed with Melbourne Water 2.2 The Don River does not currently have any rostering and restriction arrangements in place. However as noted above, Melbourne Water may prepare and implement rosters and/or restrictions if required, whilst having regards to points (i), (ii) and (iii)		https://inflo.mwc.melbournewater.com.au/inflo/cs.d	Melbourne Water imposes restrictions, rosters and bans und principles and triggers detailed in Melbourne Water's Drougi Response Plan for Licensed Water Users taking into account requirements of Stream Flow Management Plans where release No rosters and restrictions have been developed for the Dor at this time. Water demand remains low in this catchment a rosters are therefore not warranted.
	Section 32A(3)(d) of the Act allows for a management plan to prescribe conditions to which licences issued under section 51 to take and use surface water and transferred under section 62, are to be subject, including a condition relating to the maximum volume of water which may be taken and used under the transferred licence. 3.1 Melbourne Water must refuse an application made under section 62(3) of the Act to permanently or temporarily transfer a licence if this will cause the limits referred to in Prescription 1 to be exceeded. 3.2 Melbourne Water may approve an application made under section 62(3) of the Act to permanently transfer a licence into or within the Little Yarra River catchment provided that: a) The limits referred to in Prescription 1 are not exceeded; and b) Any licence traded into the Little Yarra catchment is converted to winter-fill; and c) All licences traded upstream are converted to winter-fill; and d) All licences traded downstream within the catchment retain their volume and take period; and e) Any licence traded into or within the Slaty Creek sub-catchment is subject to the total licence allocation in Slaty Creek sub-catchment not exceeding 130 ML. 3.3 Melbourne Water may approve an application made under Section 62(3) of the Act to permanently transfer a licence within the Don River catchment provided that: a) The limits referred to in Prescription 1 are not exceeded; and b) For all-year licences traded upstream, the application provide a flow assessment, using the FLOWS methods, which indicates there is no impact to other diverters or the environment as a consequence of the transfer; and c) Licences traded downstream retain their volume and take period. 3.4 No trades will be permitted into the Don catchment for the duration of this plan. 3.5 Melbourne Water may grant an application made under section 62(3) to temporarily transfer a licence for up to 1 year, provided the application meets the relevant prescriptions in 3.1-3.4	Yes	Victorian Water Register	All transfers were permanent and stayed within theLittle Ya Don Rivers catchments. All transfers in accordance with Melbourne Water's required as delegated Diversions Manager.
4	METERING AND MONITORING Section 32A(3)(a) of the Act allows management plans to prescribe requirements for metering and monitoring. 4.1 Melbourne Water must: a) Meter all licences over 5 ML, excluding registration licences, b) Read meters and store metering information, and c) Read meters at the start and end of each licence period. 4.2 Melbourne Water must: a) Continuously record and store information on flows at the Little Yarra River gauge (229214) and Don River gauge (2292208). b) Periodically inspect the condition of each gauging station, c) Maintain each gauging station in good condition, and d) Keep a record of each inspection and work undertaken under paragraph (b) or (c).		Little Yarra River Melbourne Water_ https://www.melbournewater.com.au/water-and- environment/water-management/waterway- diversions/don-river	Meter maintenance data captured in Melbourne Water's A: Management system (Maximo). Maintenance of meters is scheduled every 3 years. Program available from Diversions Melbourne water monitors flows continuously at Little Yarr gauge (229214) and Don River gauge (2292208)
5	NEW DAMS, AESTHETIC DAMS AND DAMS ON SUBDIVISIONS Section 32A(3)(d) of the Act allows for a management plan to prescribe prohibitions on the issue of licences under section 67. Section 32A(3)(c) of the Act allows for a management plant to prescribe the requirements for the location, capacity and operation of private dams which are – (i) not licenced under section 51, and (ii) not for domestic and stock use. Section 32(3)(n) of the Act allows for a management plan to prescribe the maximum volume of water that may be retained – (i) in each private dam on a particulate lot in a plan of subdivision in the area concerned. Section 67 of the Act allows Melbourne Water to grant a licence to construct works etc. This includes operation of dams. Section 71 of the Act empowers Melbourne Water to set conditions for these licences. 5.1 Melbourne Water must not issue any licence under section 67 of the Act to construct a dam on a waterway. 5.2 The total volume of water that can be retained in domestic and stock dams on subdivided lots must not exceed the greater of: a) Those dams that were there before the Plan; or b) A volume that is reasonable to meet the domestic and stock water needs of the land prior to subdivision, calculated in accordance with the approved guidelines. Once this limit is reached, no additional water can be retained in additional domestic and stock dams. 5.3 Melbourne Water must not issue any licence under section 67 to construct an aesthetic dam. 5.4 For the purpose of clause 5.3., a dam is: a) Deemed to be for aesthetic purposes if it is constructed after the commencement of this plan and is used for recreational purposes; but b) Not deemed to be aesthetic purposes if it is: (i) Constructed or used for domestic and stock and is a reasonable size for its intended use; or (ii) Designed specifically for environmental, rather than aesthetic or recreational purposes and is used for erosion control or biodiversity conservation purposes.	Yes	Number of new dam on waterway licences	Yarra Ranges Shire Council are responsible for subdivisions. not aware that any subdivision contained any dams. As a result to our knowledge the total volume of water for cand stock purposes has not exceeded the total volume of w from all private dams on that land. Melbourne water undertakes field observations and acts or received from the general community to assess the impact aesthetic dams. No community reports regarding aesthetic dams were receduring this reporting period. To Melbourne Water's knowledge no aesthetic dams exist to breach the requirements of this prescription. Melbourne Water has recently completed a project to iden changes in farm dam numbers and size using a GIS based to
6	LICENCE CONDITIONS Section 32A(3)(k) of the Act allows for a management plan to prescribe conditions to which licences are issued under section 51 are to be subject. 6.1 A licence granted under section 51 of the Act is subject to each condition set out in Schedule 1 – Licence Conditions, in relation to that licence's purpose. This includes restrictions on the taking of water in order to maintain minimum environmental flows in summer and winter as specified under licence conditions 1.2, 1.4, 1.5 & 1.6 of Schedule 1.	Yes	Victorian Water Register	Occurring
7	ANNUAL REPORTING Section 32C of the Act requires that the authority that has the duty of administering and enforcing an approved management plan must prepare a report of its activities in relation to the plan. 7.1 As part of the annual report, Melbourne Water should undertake an assessment of the following matters a) Changes to the level and type of development within the area including: (i) The extend of water usage resulting from transfers (ii) Location and impact of new take and use licences b) Water usage information c) The effectiveness of management prescriptions in meeting the objectives of the Plan including: (i) Metering, (ii) Flow monitoring, (iii) Restrictions and rosters (d) Including the details and findings of any relevant complementary works or studies (e.g. environmental studies) being undertaken in the catchments. (e) Any difficulties associated with, and progress towards, meeting environmental flows specified in the Plan	Yes	https://www.melbournewater.com.au/media/22606 /download	The SFMP monitoring plan currently includes collection of d environmental DNA (eDNA) identified for all 7 SFMP catchm. Long term trends and changes in the condition of priority na and platypus are now being monitored using this eDNA (this presence/absence and extent within each SFMP). eDNA data is used in the SFMP 5 year reviews to determine change in values is required based on findings. 2023-24 Annual Report submitted and received by the Miniwithin the agreed timeframe and copy available on Melbou Water Website.
8	REVIEW OF PLAN Section 32A(3)(o) of the Act allows for a management plan to prescribe any matter relevant to the object of the management plan or its implementation. 8.1 Melbourne Water must: a) Review the implementation of this Plan: (i) Five years after its commencement (ii) Thereafter, at intervals of no more than five years, and b) Assess the effectiveness of management prescriptions in meeting each of the objectives of the Plan, as per section 4 of this	Yes	2019 Five Year Review (available upon request)	Melbourne Water completed a review in 2025 with no recommeded change to the current plan.

Table 4. Little Yarra and Don SFMP annual reporting data

Table 4. Little Yarra and Don SHMP annual reporting data ear Year 2013-14 2014-15 2015-16 2016-17 2017-18 2018-19 2019-20 2020-21 2021-22 2022-23 2023-24 2024-25							2024-25						
	Total PAV for Little Yarra and Don River	1,502	1,502	1,502	1,502	1,502	1,502	1,502	1,502	1,502	1,502	1,502	1,502
Permissible Consumptive	Little Yarra River	1,357	1,357	1,357	1,357	1,357	1,357	1,357	1,357	1,357	1,357	1,357	1,357
Volume (PCV)	Don River	145	145	145	145	145	145	145	145	145	145	145	145
	Little Yarra River Total	115	114	112	112	112	112	112	112	112	110	107	107
	All Year	78	77	75	75	75	75	75	75	75	73	70	70
	Winter-fill	21	21	21	21	20	20	20	20	20	20	20	20
	Farm Dam Registration	15	15	15	15	15	15	15	15	15	15	15	15
No. of licences	Farm Dam Licence	1	1	1	1	2	2	2	2	2	2	2	2
	Don River	4.6	4.6	4.6	4.6	1.5	4.4	4.4	4.4	4.4	4.4		4.4
	Total All Year	16 15	16 15	16 15	16 15	16 15	14 13	14 13	14 13	14 13	14 13	14 13	14 13
	Winter-fill	0	0	0	0	0	0	0	0	0	0	0	0
	Farm Dam	1	1	1	1	1	1	1	1	1	1	1	1
	Registration Farm Dam Licence	0	0	0	0	0	0	0	0	0	0	0	0
	Total allocation for	0	U	U	U	U	U	U	U	U	U	0	0
	Little Yarra and Don River	1,501	1496	1494	1494	1494	1494	1494	1464	1464	1430	1424	1424
	Little Yarra River												
	Total All Year	1,362 852	1,357 849	1,355 845	1,355 845	1,355 845	1,355 845	1,355 845	1,325 815	1,325 815	1321 811	1315 805	1315 805
	Winter-fill	289	289	289	289	845 247	845 247	845 247	247	247	247	247	247
wasalali aliana da	Farm Dam	216	216	216	216	216	216	216	216	216	216	216	216
Total allocated volume (ML)	Registration												
	Farm Dam Licence Don River	5	5	5	5	47	47	47	47	47	47	47	47
	Total	139	139	139	139	139	139	139	139	139	109	109	109
	All Year	138	138	138	138	138	138	138	138	138	108	108	108
	Winter-fill	0	0	0	0	0	0	0	0	0	0	0	0
	Farm Dam Registration	1	1	1	1	1	1	1	1	1	1	1	1
	Farm Dam Licence	0	0	0	0	0	0	0	0	0	0	0	0
No. of metered licences	Little Yarra River	28	28	25	25	26	26	26	27	27	26	30	30
	Don River Little Yarra River	4 748	748	4 727	4 727	4 727	4 664	4 674	4 680	4 680	4 680	4 747	4 747
Total metered volume (ML)	Don River	99	99	99	99	99	109	109	109	79	79	79	747
Total metered use (ML)	Little Yarra River Don River	187.9 2.3	159.6 0.4	263.67 0.67	161.43 3.8	172 0.7	195.3 0.4	117.16 9.94	134.48 0.03	188.29 1.02	164.73 0.18	171.77 5.48	209.81 14.89
Metered use as % of metered	Little Yarra River	25.1%	21.3%	36.3%	22.2%	23.7%	29.4%	17.4%	19.8%	27.7%	24.23%	22.99%	28.09%
allocation	Don River	2.3%	0.4%	0.7%	3.8%	0.7%	0.4%	9.1%	0.0%	1.3%	0.23%	6.94%	18.85%
Metered use as % of PCV	Little Yarra River Don River	13.8% 1.59%	11.8% 0.28%	19.4% 0.46%	11.9% 2.62%	12.7% 0.48%	14.4% 0.28%	8.6% 6.86%	9.9% 0.02%	13.9% 0.70%	12.14% 0.12%	12.66% 3.78%	15.46% 10.27%
Estimated Total Catchment Usage (ML)	Little Yarra River	342	290	491	301	321	399	236	262	367	320	302	369
No. of licences with use	Don River Little Yarra River	3 1	1 0	1 0	5	1 0	1 0	13 1	0 1	2 1	0 1	8 2	21 0
greater than allocation	Don River	0	0	0	0	0	0	0	0	0	0	0	0
Allocation surrendered within the WSPA (ML)		n/a n/a	3	4	0	0	0	30 0	0	0	4 0	4 0	0 0
New allocation issued within	Little Yarra River	n/a	0	0	0	0	0	0	0	0	0	0	0
the WSPA (ML)	Don River	n/a	0	0	0	0	0	0	0	0	0	0	0
Permanent transfers within WSPA (ML)	Little Yarra River Don River	107 4	19 0	18 0	12 2	2 2	15 10	81 0	49 0	67 0	11 0	72 0	44 0
Temporary transfers within WSPA (ML)	Little Yarra River	0	0	0	0	0	0	2	1	1	0	0 0	1
Permanent transfers out of	Don River Little Yarra River	0	0	0	0	0	0	0	0	0	0	0	0
WSPA (ML)	Don River	10	0	0	0	0	0	0	0	0	0	0	0
Temporary transfers out of WSPA (ML)	Little Yarra River	n/a	0	0	0	0	0	0	0	0	0	0	0
Number of new dam on waterway licences issued	Don River	n/a	0	0	0	0	0	0	0	0	0	0	0
Number of days on ban	Little Yarra River Don River	37 0	3 0	96 0	27 0	81 24	75 166	75 20	0 0	0 0	0	0	0 29
Number of days on rosters	Little Yarra River Don River	71 n/a	97 n/a	102 n/a	125 n/a	107 n/a	145	72 n/a	0 n/a	0 n/a	0	0	111 0
(-) not previously reported on	DOIT MIVE	11) a	н) а	ну а	ну а	TI) a	17/ а	ну а	11/ d	Ti) a	U	U	U

(-) not previously reported on as an individual figure in the SFMP annual report.

Table 5. Olinda	Creek SFMP Annua	al Report Checklist

	Table 5. Olinda Creek SFMP Annual Report Checklist			2024-25
Prescription No.	Prescription	Compliance	Supporting Data	Comments
8	PROHIBITIONS ON GRANTING NEW LICENCES Melbourne Water must refuse an application under section 51(1)(a) or (ba) of the Act if, in its opinion, the approval of the application will or may cause: (a) the total volume of water taken in any year under all all-year licences to exceed 607.3 ML; or (b) the total volume of water taken in any year under all winter-fill licences to exceed 973 ML. Note 1: Section 51A of the Act allows a person to surrender a registration licence and apply for a licence under section 51(1)(a) or (ba) of the Act. and Melbourne Water must within 14 days issue a licence for the same annual volume as the registration licence.	Yes	Diversions Data Model and Reporting-2024011	Management of Licence volumes are well within the allocation caps
9	TRANSFERRING LICENCES Note: Section 62 of the Act empowers Melbourne Water to approve an application to temporarily or permanently transfer a licence. 9.1 Melbourne Water must refuse an application made under section 62(3) of the Act to transfer an all-year licence or a winter-fill licence if, in its opinion, the approval of the application will or may cause: (a) the total volume of water taken in any year under all all-year licences to exceed 607.3 ML; or (b) the total volume of water taken in any year under all all-year licences to exceed 973 ML; or (c) the total volume of water taken in any year under all all-year licences and all winter-fill licences to exceed 1367 ML. 9.2 Melbourne Water must refuse an application made under section 62(3) of the Act to transfer an all-year licence or a winter-fill licence if the total volume of water held by the applicant will exceed 100 ML as a result of the transfer. 9.3 Melbourne Water may grant an application made under section 62(3) to transfer an all-year licence, provided relevant matters have been considered: (a) to any upstream location within the lower catchment if the licence is being transferred from within the lower catchment (between Lillydale Lake and the Silvan Reservoir outlet if the licence is being transferred from within the upper catchment between Lillydale Lake and the Silvan Reservoir outlet if the licence is being transferred from within the upper catchment between Lillydale Lake and the Silvan Reservoir outlet if the licence is being transferred from within the upper catchment between Lillydale Lake and the Silvan Reservoir outlet if the licence is being transferred from within the upper catchment between Lillydale Lake and the Silvan Reservoir outlet if the licence is being transferred from within the upper catchment between Lillydale Lake and the silvan Reservoir outlet if the licence is being transferred from within the upper catchment between Lillydale Lake and the silvan Reservoir outlet if the licence is being transferred from within	Yes	Licence transfers in 2021-22	All transfers stayed within the Olinda Creek catchment. All transfers in accordance with Melbourne Water's requirements as delegated Diversions Manager ad prescription 9
10	NEW DAMS After the commencement of this Plan, Melbourne Water must not issue any licence under section 67 of the Act to construct	Yes	Number of new dam on waterway licences	Compliant
11	a dam on a waterway within the Protection Area. ROSTERS 11.1 Melbourne Water may, from time to time, prepare and implement rosters or other arrangements for taking and using water, in accordance with the principles specified in clause 11.3. 11.2 Melbourne Water may implement rosters if stream floors fall: (a) between 6 ML/day and the levels specified under the licence condition 1.1 of Schedule 3 between 1 January and 31 March inclusive in the upper catchment; and (b) between 15 ML/day and the levels specified under the licence condition 1.1 of Schedule 3 between 1 January and 31 March inclusive in the lower catchment. 11.3 In developing rosters or restrictions, Melbourne Water must have regard to the 46 need to: (a) maintain flows above the minimum levels specified under licence condition 1.1 of Schedule 3; and (b) limit the number of days upon which licensees are unable to take water because of the effect of licence condition 1.1 of Schedule 3; and (c) take account of: (i) the relative requirements of different crops and other uses of land for water; and (ii) differences between types of licence, maximum volumes which may be taken under licences, and pumping capacities; and (iii) the need for all licensees to have fair and reasonable access to available water, given the matters referred to in sub- paragraphs (i) and (ii); 11.4 Melbourne Water may specify a maximum volume or percentage of allocation of water that a licensee may take or use on any rostered day (or lesser roster period).		https://inflo.mwc.melbournewater.com.a w/inflo/cs.exe/properties/71127344	Restriction regime has been introduced for the Olinda Creek catchment as part of Drought Response Plan Review. Restriction regime based on reduced maximum daily volume for metered licence holders and restricted days/hours for non-metere licences.
12	LICENCE CONDITIONS For the purposes of section 32A(12) of the Act, a licence granted under section 51(1)(a) or (ba) of the Act for a purpose specified in Schedule 3 is subject to each condition set out in that Schedule, in relation to that purpose.	Yes	Victorian Water Register	Occurring
13	STREAM FLOW MONITORING PROGRAM 13.1 Melbourne Water must: (a) continuously record flows at the York Rd gauge and MacIntyre Lane gauge; and (b) periodically inspect the condition of these gauging stations; and (c) maintain these gauging stations in good condition; and (d) keep a record of each inspection and all work undertaken under paragraph (b) and (c) (e) make all flow data publicly available, or as requested by the Minister.	Yes	Olinda Creek (Lower) Melbourne Water	Melbourne Water continuously monitors flows at: • York Road gauging station (229690A); and • McIntyre Lane gauging station (229258A); The McIntyre Lane gauge was installed in 2008 and commissioned in January 2011 to meet prescription 13.1
14	INSTALLING METERS 14.1 Melbourne Water must ensure that a flow meter is installed to measure water taken for irrigation or commercial purposes under any active all-year licence or winter-fill licence which has been or is issued under section 51(1)(a) or 51(1)(a) or 51(1)(a) of the Act to take and use 5 ML or a greater volume. 14.2 At Melbourne Water's discretion, and where practical to do so, Melbourne Water may install a meter to measure water taken under any all-year licence or 47 winter-fill licence issued under section 51(1)(a) or 51(1)(ba) of the Act to take and use less than 5 ML. 14.3 Melbourne Water must: (a) periodically inspect the condition of each flow meter referred to in sub-clauses 14.1 and 14.2; and (b) maintain each flow meter in good condition; and (c) replace any damaged flow meter; and (d) kenn a record full work flowe under paragraph (h) and (r).	Yes	Diversions Database	Meter maintenance data captured in Melbourne Water's Asset Management syster (Maximo). Maintenance of meters is scheduled every S years. Program available from Diversions team.
15	READING METERS Melbourne Water must: (a) read each meter referred to in sub-clause 14.1 and 14.2 at least: (ii) in the case of an all-year licence, once in every year; and (iii) in the case of a winter-fill licence, shortly before the beginning and shortly after the end of the winter-fill period in every year; and (b) record, for each meter: (i) the reading obtained; and (iii) the number of the relevant licence; and (iii) the number of the relevant licence; and (iv) any information about the accuracy of the meter which Melbourne Water considers relevant; and (c) if a meter becomes defective, registers incorrectly or is removed for any reason, estimate the correct registration in any of the following ways: (iii) by comparison with the quantity of water taken under similar conditions during some other period; or (iv) by comparison with the quantity of water taken after the meter has been restored to proper order; or (v) by comparison with the registration of a substitute meter used temporarily in place of the defective meter; or (vi) by applying a correction factor if the meter is found to have a consistent error of registration. (d) when the meter is read shortly before or shortly after the nominated date, deem usage on the nominated date as the usage recorded when a meter is read.	Yes	Diversions Database	Meter readings carried out in accordance with this clause. Dates and readings recorded in Diversions database.
16	MAINTAINING ENVIRONMENTAL FLOWS Melbourne Water must do its best to ensure that licensees comply with the conditions referred to in Item 1.1 in Schedule 3.	Yes	Diversions Database	Compliance with licence conditions is monitored using: • Usage data from meters in the catchment. Some meters have dataloggers installe which read meters daily; • Acting on reports of non-compliance from the public; and • Undertaking spot checks
17	DAMS ON SUBDIVISIONS The total volume of water for domestic and stock purposes that may be retained in all private dams within a subdivision must not exceed the greater of: (a) the total volume retained in all private dams on that land before the relevant plan of subdivision was approved; or (b) the total volume required for domestic and stock purposes on each lot within the subdivision as determined by Melbourne Water in accordance with the Act.	Yes		The Shire of Yarra Ranges is responsible for subdivision within the catchment and can assess dam applications under their planning functions. To Melbourne Water's knowledge the total volume of water for domestic and stock purposes has not exceeded the total volume of water from all private dams on the subdivided land.
18	REPORTING Melbourne Water must report on its activities in carrying out its duties in relation to this Plan in each financial year and: (a) give the report to the Minister and the Port Phillip and Westernport Catchment Management Authority by 30 September in each year; and (b) make a copy available for public inspection at its offices.	Yes	https://www.melbournewater.com.au/media /22606/download	2023-24 Annual Report submitted and received by the Minister within the agreed timeframe and copy available on Melbourne Water Website.
19	MONITORING THE EFFECTS OF THE PLAN 19.1 Melbourne Water must, unless otherwise directed by the Minister, implement the Monitoring Program: Streamflow Management Plans approved by the Minister in September 2013. 19.2 Melbourne Water must implement the monitoring and management recommendations detailed in the Environmental Water Action Plan: Olinda Creek or other monitoring activities specified in the Healthy Waterways Strategy.	Yes	Annual reporting & 5 Year review	Monitoring and Evaluation of the plan occurs to inform the Annual Reporting and regular 5 year review processes. The SFMP monitoring plan currently includes collection of data for environmental DNA (eDNA) identified for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using this eDNA (this is presence/absence and extent within each SFMP). BONA data is used in the SFMP 5 year reviews to determine if any change in values required based on findings.
20	REVIEW OF PLAN 20.1 Melbourne Water must: (a) review the operation of this Plan: (i) not more than 5 years after it commences; and (ii) thereafter, at intervals of no more than 5 years; and (b) propose any consequential amendment (if any) to the Minister. Note: Sections 29, 31 and 32G of the Act provide for the constitution and convening of a consultative committee to provide advice on any proposed amendment and the process to be followed by the Minister before approving it.	Yes	2013 Review (available upon request)	The current Olinda Creek SFMP was approved with amendments in August 2018. The review f the SFMP was completed in 32025 with no changes to the plan recommended.

	V	2042 2044	2011 1-	2015-16	2016 4-	2017.42	2018-19	2010 20	2020.26	2024 22	2022.22	2022.24	2024.25
ear	Year	2013-2014				2017-18 1259.7	2018-19 1259.7	2019-20 1259.7	2020-21	2021-22	2022-23	2023-24	2024-25
ermissible Consumptive	All Year	1259.7	1259.7 685.7	1259.7	1259.7 685.7	685.7	685.7	685.7	1259.7 685.7	1259.7 685.7	1259.7	1259.7 685.7	1259.7 685.7
olume (PCV)	Winter-fill	685.7		685.7 574	574						685.7 574	574	574
		574	574			574	574	574	574	574			56
	Total	66	63	61	61	61	60	58	58	58	58	57	
	All Year	50	47	45	45	45	44	42	42	42	42	41	40
lo. of licences	Winter-fill	6	6	6	6	6	6	6	6	6	6	6	6
	Farm Dam Registration	10	10	10	10	10	10	10	10	10	10	10	10
	Farm Dam Licence	0	0	0	0	0	0	0	0	0	0	0	0
	Total	736.7	732.3	726.3	726.3	726.3	724.9	706.9	706.9	706.9	706.9	705.9	702.9
	All Year	567	562.6	556.6	556.6	556.6	549.6	531.6	531.6	531.6	531.6	530.6	527.6
otal allocated volume	Winter-fill	119	119	119	119	119	124.6	124.6	124.6	124.6	124.6	124.6	124.6
ML)	Farm Dam Registration	50.7	50.7	50.7	50.7	50.7	50.7	50.7	50.7	50.7	50.7	50.7	50.7
	Farm Dam Licence	0	0	0	0	0	0	0	0	0	0	0	0
lo. of metered licences	Total	23	24	22	22	24	24	21	22	22	22	21	20
-1-1													
otal metered volume ML) Volume of licences netered (ML)	Total	380	389.6	385.6	385.6	381.6	384.2	401.2	397.2	397.2	416.2	393.2	390.2
otal metered use (ML)	Total	112.5	160.3	158.15	180.2	104.7	149.26	73.26	103.61	90.88	151.38	97.21	100.73
Netered use as % of netered allocation	Total	29.60%	41.10%	41.00%	46.73%	27.44%	38.85%	18.26%	26.09%	22.88%	36.37%	24.72%	25.81%
Netered use as % of PCV	Total	8.90%	12.70%	12.55%	14.30%	8.31%	11.85%	5.82%	8.22%	7.21%	12.02%	7.72%	8.00%
stimated Total atchment Usage (ML)	Estimate			298	339	199	282	129	184	162	257	175	181
lo. of licences with use reater than allocation	Total	1	0	0	0	1	1	0	1	0	0	0	0
llocation surrendered	Total	n/a	0	6	0	0	7	18	0	0	0	0	0
lew allocation issued vithin the WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
ermanent transfers vithin WSPA (ML)	Total	86	27	4	22	12	57.6	126	27	0	0	4	42
emporary transfers vithin WSPA (ML)	Total	25	5	0	0	4	0	0	26	26	36	29	29
ermanent transfers out f WSPA (ML)	Total	0	0	0	0	0	0	18	0	0	0	0	0
emporary transfers out f WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
lumber of new dam on vaterway licences issued	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
umber of days on ban	Upper	36	14	118	19	171	245	29	129	195	46	18	64
, , , , , , , , , , , , , , , , , , , ,	Lower	35	44	108	47	105	89	8	0	0	0	0	19
umber of days on	Upper		0	55	10	15	15	6	32	10	0	0	15

(-) not previously reported on as an individual figure in the SFMP annual report.

	Table 7. Plenty River SFMP Annual Report Checkli	st		2024-25
Prescription No.	Prescription	Compliance	Supporting Data	Comments
8	PERMISSIBLE CONSUMPTIVE VOLUME 8.1 The recommended permissible consumptive volume of surface water in the Protection Area is 669 ML. This includes the volume of registration licences and any licences issued under section 51A. Note: Section 22A gives the Minister power to declare a permissible consumptive volume from time to time by Order published in the Government Gazette. Section 51(A) allows a person to apply for a registration licence during the period 1 July 2002 and 30 June 2003. Section 51A allows a person to surrender a registration licence and apply for a licence under section 51(1)(a) or (ba) and Melbourne Water must within 14 days issue a licence for the same annual	Yes	PCV Orders made by the Minister for Water	No Change to PCV
9	Note: Section 55(28) of the Act also prevents Melbourne Water under taken from water under any winter-fill period, to exceed de. Note: Section 59(18) of the Act in the Protection Area, if in its opinion, the approval of the application will or may cause: (a) subject to clause 9.2, the total volume of water taken and used in the Protection Area in any year under all-year licences to exceed 316 ML (which includes the volume of registration licences and any licence issued under section 51A); or (b) the total volume of water taken from waterways or collected in dams in the Protection Area under any winter-fill licences during a winter-fill period, to exceed 353 ML. Note: Section 55(28) of the Act also prevents Melbourne Water from granting a licence if, in its opinion, the allocation or use of water under the licence will or may result in the permissible consumptive volume for that year or a future year, being exceeded. 9.2 The volume referred to in 9.1(a) will reduce to reflect the volume of all-year licence transferred out of or within the protection area. 9.3 The volume referred to in 9.1(b) will increase to reflect the volume of all-year licences transferred out of or within the protection area.	Yes	Diversions Data Model and Reporting-20240102 - Power	Management of Licence volumes are within the allocation caps
10	TRANSFERRING LICENCES Note: Section 62 of the Act empowers Melbourne Water to approve an application temporarily or permanently to transfer a licence upstream or downstream after having regard for the matters mentioned in Section 53, and Section 40 (1) of the Act. 10.1 Subject to clause 10.2, Melbourne Water must approve an application to transfer a licence, to take water from a waterway, or to collect water in a dam if the proposed transferee will take or collect water under the transferred licence downstream of the original licence location. 10.2 Melbourne Water may approve the transfer of a licence resulting from the transfer or conveyance of land providing the location at which water is taken or collected will not, change.	Yes	Victorian Water Register	All transfers were permanent and stayed within the Plenty River catchment. All transfers in accordance with Melbourne Water's requirements as delegated Diversions Manager.
11	ROSTERS AND RESTRICTIONS 11.1 Melbourne Water may, from time to time, prepare and implement rosters or restrictions or other arrangements for taking and using water.	Yes	https://inflo.mwc.melbournewater.com.au/inflo/cs.exe/j	Melbourne Water imposes restrictions, rosters and bans under the principles and triggers detailed in Melbourne Water's Drought Response Plan for Licensed Water Users taking into account the requirements of Stream Flow Management Plans where relevant. No rosters and restrictions have been developed for the Plenty River at this time. Water demand remains low in this catchment and rosters are therefore not warranted.
12	LICENCE CONDITIONS For the purposes of section 32A(12) of the Act, a licence granted under section 51(1)(a) or (ba) or renewed under section 58 of the Act for a purpose specified in Schedule 3 is subject to each condition set out in that Schedule, in relation to that purpose.	Yes	Victorian Water Register	Occurring
13	STREAM FLOW MONITORING PROGRAM Melbourne Water must: (a) continuously record the flows at the Mernda gauging station; and (b) periodically inspect the condition of the Mernda gauging station; and (c) maintain the Mernda gauging station in good condition; and (d) keep a record of each inspection and all work undertaken under paragraph (a), (b) or (c).	Yes	Plenty River Melbourne Water	Melbourne Water monitors flows continuously at Mernda gauging station (229616A). Other flow stations on the Plenty River include Lower Plenty gauging station (229614A) and Greensborough gauging station (229615A).
14	INSTALLING METERS 14.1 After the commencement of this Plan, Melbourne Water must, within two years, ensure that a flow meter is installed to measure water taken for irrigation or commercial purposes under any licence greater than 5 ML volume which has been or is thereafter granted within the Protection Area under section 51(1)(a) or (ba) or 51(1A) of the Act. 14.2 Melbourne Water must: (a) periodically inspect the condition of each flow meter installed under sub clause 14.1; and (b) maintain each flow meter in good condition; and (c) replace any damaged flow meter; and (d) keep a record of all work done under paragraph (b) and (c).	No ²	Number of metered licences	14.1 - Meters have been fitted to all 'active' commercial or irrigation licensees' equipment greater than 5ML. This does not include registered farm dams. As reported annually, the practicality of installing meters on registered catchment dams is assessed on a cost / benefit analysis. It is not practical and is of limited benefit, to meter these licences at present. Meter maintenance data captured in Melbourne Water's Asset Management system (Maximo). Maintenance of meters is scheduled every 3 years. Program available from Diversions team.
15	READING METERS Melbourne Water must: (a) read each meter referred to in sub-clause 14.1 at least: (i) once in every year in the case of an all year licence; and (ii) shortly after the beginning and end of the winter-fill period in every year, in the case of a winter fill licence; and (b) record, for each meter: (i) the reading obtained; and (ii) the number of the relevant licence; and (iii) the date on which the meter is read; and (iv) any information about the accuracy of the meter which Melbourne Water considers relevant; and (c) if a meter becomes defective, registers incorrectly or is removed for any reason, estimate the correct registration in any of the following ways: (i) by comparison with the quantity of water taken under similar conditions during some other period; or (ii) by comparison with the quantity of water taken after the meter has been restored to proper order; or (iii) by comparison with the registration of a substitute meter used temporarily in place of the defective meter; or (iv) by applying a correction factor if the meter is found to have a consistent error of registration.	Yes	Diversions Database	Meter are read and photographed as required. Note for winterfill meters, these are read at the start and end of the licensing period
16	MAINTAINING ENVIRONMENTAL FLOWS 16.1 For the purposes of this clause, a licensee is the holder of a licence issued under section 51(1)(a) of the Act for any purpose other than domestic and stock use. 16.2 1 December to 31 May Melbourne Water must do its best to ensure that, during the period 1 December to 31 May in any year, a licensee does not take any water from a waterway when the average stream flow at Mernda gauging station is 1.5ML or less per day. 16.3 1 June to 30 November Melbourne Water must do its best to ensure that, during the period 1 June to 30 November in any year, a licensee does not take any water from a waterway when the average stream flow at Mernda gauging station is 2 ML or less per day.	Yes		Compliance with licence conditions is monitored using: Usage data from meters in the catchment; Acting on reports of non-compliance from the public; and Undertaking spot checks
17	MONITORING THE IMPLEMENTATION OF THE PLAN 17.1 Within 12 months after the commencement of this Plan, Melbourne Water must propose to the Minister a program to monitor the implementation of the Plan. 17.2 A program proposed under sub-clause 17.1 must include arrangements to monitor: (a) the effects of the Plan on the reliability of supply to licensees within the Protection Area; and (b) the ability of the provisions to maintain environmental flows set out in clause 16; and (c) in-stream environmental indicators within the Protection Area; and (d) indicators against which Melbourne Water's performance in implementing this Plan can be measured. 17.3 The Minister may: (a) approve a plan proposed under sub-clause 17.1; or (b) approve that plan, subject to amendments made by the Minister; or (c) refuse to approve the plan.	Yes	Annual reporting & 5 Year review	Monitoring and Evaluation of the plan occurs to inform the Annual Reporting and regular 5 year review processes. The SFMP monitoring plan currently includes collection of data for environmental DNA (eDNA) identified for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using this eDNA (this is presence/absence and extent within each SFMP). eDNA data is used in the SFMP 5 year reviews to determine if any change in values is required based on findings.
18	17.4 Melihourne Water must implement a plan in the form approved by the Minister under sub-clause 17.3 REPORTING Note: Section 32C and 32D of the Act requires Melbourne Water to report on its activities in carrying out its duties in relation to this Plan in each financial year and to: (a) give the report to the Minister and the Port Phillip and Westernport Catchment Management Authority by 30 September in each year; and (b) make a copy available for public inspection at its offices.	Yes	https://www.melbournewater.com.au/media/22606/download	2023-24 Annual Report submitted and received by the Minister within the agreed timeframe and copy available on Melbourne Water Website.
19	REVIEW OF PLAN Melbourne Water must: (a) review the operation of this Plan: (i) not more than 5 years after it commences; and (ii) thereafter, at intervals of no more than 5 years; and (b) propose any consequential amendment (if any) to the Minister. Note: Sections 29, 31 and 32G of the Act provide for the constitution and convening of a consultative committee to develop any proposed amendment and the process to be followed by the Minister before approving it Note 1: Melbourne Water considers a licence active when a pump is in place and water is extracted. Inactive licences	Yes	Most recent Five Year Review (available upon request)	Last Reviewed in 2019, currently preparing a proposal to abolish WSPA and revoke the SFMP and replace with a LMP.

Note 1: Melbourne Water considers a licence active when a pump is in place and water is extracted. Inactive licences are monitored to determine if they become active through:

Licence holders applying to install a pump, thereby indicating their intention to take water

Routine property inspections every five years, and

Reviewing aerial images that indicate if irrigation may be occurring within the catchment. Metering dam registrations and inactive licences does not consider the capital cost of installation or the ongoing operation costs associated with reading and maintenance.

The benefit of metering these licences is not evident and does not justify the cost, which would be passed on to licence holders.

Note 2: The feasibility of amending this prescription so that only active waterway licenses are required to be metered should be considered in future SFMP reviews.

		. Plenty											
/ear	Year	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	2019-20	2020-21	2021-22	2022-2023	2023-24	2024-25
Permissible Consumptive	Total	669	669	669	669	669	669	669	669	669	669	669	669
/olume (PCV)	Total	36	36	36	35	35	35	35	35	35	35	33	33
	All Year	9	9	9	8	8	8	8	8	8	8	6	6
	Winter-fill [4]	84	8	8	8	8	8	8	8	8	8	8	8
ŀ	Farm Dam Registration	18	18	18	18	18	18	18	18	18	18	18	18
•	Farm Dam Licence	1	1	1	1	1	1	1	1	1	1	1	1
	Total	662	662	662	657	660	660	660	660	660	660	650	650
	All Year	51	51	51	46	49	49	49	49	49	49	39	39
	Winter-fill [4]	315	315	315	315	315	315	315	315	315	315	315	315
	Farm Dam Registration	286	286	286	286	286	286	286	286	286	286	286	286
	Farm Dam Licence	10	10	10	10	10	10	10	10	10	10	10	10
No. of metered licences	Total [1]	4	4	4	4	4	4	4	4	4	4	4	4
/olume of licences metered ML)	Total	120	120	120	120	120	120	120	120	120	120	120	120
,	Total	47.3	107.91	106.18	91.55	84.5	100.9	20.57	8.02	21.77	7.36	21.51	43.29
Metered use as % of metered Illocation	Total	39.40%	89.90%	88.50%	76.29%	70.42%	84.08%	17.14%	6.68%	18.14%	6.13%	17.93%	36.08%
Metered use as % of PCV	Total	7.10%	16.10%	15.90%	13.68%	12.63%	15.08%	3.07%	1.20%	3.25%	1.10%	3.22%	6.47%
Jsage (ML)	Estimate			586	501	465	555	113	44	120	40	117	234
No. of licences with use greater han allocation	Total	0	2	0	0	2	2	2	0	1	0	0	0
Allocation surrendered within he WSPA (ML)	Total	n/a	0	0	0	2	0	0	0	0	0	10	0
New allocation issued within the WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
Permanent transfers within WSPA (ML)	Total	2	29	77	3	0	0	0	0	0	7	5	0
Temporary transfers within WSPA (ML)	Total	0	0	0	0	0	0	0	0	0	0	0	0
Permanent transfers out of WSPA (ML)	Total	0	0	0	0	2	0	0	0	0	0	0	0
WSPA (ML)	Total	0	0	0	0	0	0	0	0	0	0	0	0
Number of new dam on waterway licences issued	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
	Total	54	93	116	61	79	183	53	50	80	0	33	147
Number of days on restriction	Total	0	0	0	0	0	0	0	0	0	0	0	0
(-) not previously reported on as an individual figure in the SFMP annual report.		Note 1: No all-year licences metered as they are inactive.	Note 2: Note, this consum ption does not allow for catchm ent flows and other inputs, i.e. bores and/or roof areas, etc.	For 2013- 14 there are three addition al stormwa ter licences totalling 83ML issued in the Plenty catchme nt. This allocatio n is consider ed separate ly to the SFMP	Note 4: 1 addition al winter- fill licence of 5ML has been added in 2013- 14. This licence previous ly omitted due to an incorrec t catchme nt being								

Table 9.	Steels	Pauls and	Dixons	Creeks	SEMP	Annual	Report	Checklist
Table J.	Jiccis,	r auis aiiu	DIAUII3	CICCKS	31 1411	Ailliuai	Kepoit	CHECKIISE

	Table 9. Steels, Pauls and Dixons Creeks SFMP Annual Report	Checklist		2024-25
Prescription No.	Prescription	Compliance	Supporting Data	Comments
8	PROHIBITIONS ON GRANTING NEW LICENCES Melbourne Water must refuse an application under section 51(1)(a) or (ba) of the Act in the Protection Area if, in its opinion, the approval of the application will or may cause: (a) the total volume of water taken in any year under all year licence to exceed 988 ML plus the volume of any existing farm dams still to be registered or licensed; or (b) the total volume of water taken in any year under winter-fill licence to exceed 696 ML. Note 1: Section 51A of the Act allows a person to surrender a registration licence and apply for a licence under section 51(1)(a) or (ba) of the Act and Melbourne Water must within 14 days issue a licence for the same annual volume as the registration licence. Note 2: Section 55(28) of the Act prevents Melbourne Water from granting or renewing a licence if, in its opinion, the	Yes		Management of Licence volumes are well within the allocation caps
9	allocation or use of water under licence will or may result in the permissible annual volume for that year or a future year, being averaded. TRANSFERRING LICENCES Note: Section 62 of the Act empowers Melbourne Water to approve an application temporarily or permanently to transfer		Diversions Data Model and Reporting-20240	All transfers were permanent and stayed within the Steels, Pauls and Dixons Creeks catchments.
	a licence. 9.1 Melbourne Water must refuse an application under section 62(3) of the Act to transfer a licence if, in its opinion, the approval of the application will or may cause the limits referred to in Clause 8 to be exceeded. 9.2 In deciding whether to amend, delete or add to the conditions to which a licence is subject when it is transferred, Melbourne Water may have regard to whether the location at which water is taken or collected will, or will not, change. 9.3 Melbourne Water must not approve an application to transfer a licence to take and use water from a waterway or collect water in a dam, to a location upstream of the existing licence. 9.4 Melbourne Water may only approve the transfer of a licence from a licensee to a person who proposes to extract water	Yes	Licence transfers in 2021-22	All transfers in accordance with Melbourne Water's requirements as delegated Diversions Manager and Prescription 9
10	from the same catchment as the licensee. NEW DAMS, AESTHETIC DAMS AND DAMS ON SUBDIVISIONS After the commencement of this SFMP, Melbourne Water must not issue any licence under section 67 of the Act to construct a dam on a waterway within the Protection Area.	Yes	Number of new dam on waterway licences	Compliant
11	LICENCE CONDITIONS For the purposes of section 32A(12) of the Act, a licence granted under section 51(1)(a) or (ba) of the Act for a purpose specified in Schedule 3 is subject to each condition set out in that Schedule, in relation to that purpose.	Yes	Victorian Water Register	Occurring
12	STREAM FLOW MONITORING PROGRAM 12.1 After the commencement of this SFMP, Melbourne Water must, as soon as practicable, review the existing gauging arrangements and propose new locations and numbers of gauging stations where necessary to enable continuous recording of flows in Steels Creek, Dixons Creek and Pauls Creek. 12.2 The review proposed under sub-clause 12.1 must consider the gauging station locations proposed by the Steels, Pauls and Dixons Creek Stream Flow Management Plan Consultative Committee: (a) Steels Creek below Guif Road and adjacent to the aqueduct; and (b) Dixons Creek on the highway below Guif Road or, alternatively, at the bridge and siphon crossing; and (c) Pauls Creek on the Old Healesville Road or alternatively, below Botting's Lane. 12.3 Melbourne Water must implement the completed review referred to in sub-clause 12.1. 12.4 Melbourne Water must: (a) continuously record flows at the Steels Creek and Pauls Creek gauging stations and at any gauging station installed as a result of the review referred to in sub-clause 12.1, and (b) periodically inspect the condition of these gauging stations; and (c) maintain these gauging stations in good condition; and (d) keep a record of each inspection and all work undertaken under paragraph (a).	Yes	Steels Creek Melbourne Water https://www.melbournewater.com.au/water-and-environment/water-management/waterway-diversions/pauls-creek https://www.melbournewater.com.au/water-and-environment/water-management/waterway-diversions/dixons-creek	Melbourne Water reviewed the existing gauge arrangements following the commencement of the plan and made relocated the Steels Creek gauge in 2007. A new gauge on Dixons Creek became operational in 2008. Melbourne Water currently monitors flows continuously at: Pauls Creek Gauge at Tarrawarra (229245A) Steels Creek at Yarra Glen (229246B) Dixons Creek at Melba Highway Yarra Glen (229290A).
13	INSTALLING METERS 13.1 After the commencement of this SFMP, Melbourne Water must, as soon as practicable, ensure that a flow meter is installed to measure water taken for irrigation or commercial purposes under any licence which has been or is thereafter granted within the Protection Area under section 51(1)(a) or (ba) or 51(1A) of the Act. 13.2 Melbourne Water must: (a) periodically inspect the condition of each flow meter installed under sub clause 13.1; and (b) maintain each flow meter in good condition; and (c) replace any damaged flow meter; and (d) keep a record of all work done under paragraph (b) and (c).	Yes	Diversions Database	Meter maintenance data captured in Melbourne Water's Asset Management system (Maximo). Maintenance of meters is scheduled every 3 years. Program available fror Diversions team.
14	READING METERS Melbourne Water must: (a) read each meter referred to in sub-clause 13.1 shortly after the beginning and end of the winter-fill period in every year; and (b) record, for each meter: (i) the reading obtained; and (ii) the number of the relevant licence; and (iii) the date on which the meter is read; and (iv) any information about the accuracy of the meter which Melbourne Water considers relevant; and (c) if a meter becomes defective, registers incorrectly or is removed for any reason, estimate the correct registration in any of the following ways: (i) by comparison with the quantity of water taken under similar conditions during some other period; or (iii) by comparison with the quantity of water taken after the meter has been restored to proper order; or (iii) by comparison with the registration of a substitute meter used temporarily in place of the defective meter; or (iv) by applying a correction factor if the meter is found to have a consistent error of registration.	Yes	Diversions Database	Meter are read and photographed as required. Note for winterfill meters, these are read at the start and end of the licensing period
15	MAINTAINING ENVIRONMENTAL FLOWS 15.1 For the purpose of this clause, a licensee is the holder of a licence issued under section 51(1)(a) of the Act for any purpose other than domestic and stock use. 15.2 Melbourne Water must do its best to ensure that, during the period 1 July to 30 November in any year, a licensee does not take any water from a waterway when the daily stream flow is below the minimum flow at the compliance gauge. (a) Steels Creek minimum flow is 7.0 ML or less per day at the compliance gauge; (b) Dixons Creek minimum flow is 5.0 ML or less per day at the compliance gauge; (c) Pauls Creek minimum flow is 5.0 ML or less per day at the compliance gauge; subject to sub-clause 15.4. 15.3 The compliance gauge is: (a) Steels Creek gauging station for licensees taking water from any waterway within the Steels Creek catchment; or (b) Steels Creek gauging station for licensees taking water from any waterway within the Dixons Creek catchment; or (c) Pauls Creek gauging station for licensees taking water from any waterway within the Pauls Creek catchment; subject to sub-clause 15.4. 15.4 After the installation of any new gauging station proposed in the review referred to in Clause 12.1, the references to gauging stations in sub-clause 15.2 (a) and (b) must be replaced with 5.0 ML per day. 15.5 Licensees may recommence taking water when the seven-day average stream flow at the compliance gauge referred to in 15.3 rises above the stream flow referred to in subclause 15.2.	Yes	Diversions Database	Compliance with licence conditions is monitored using: • Usage data from meters in the catchment; • Acting on reports of non-compliance from the public; and • Undertaking spot checks
16	ROSTERS 16.1 Melbourne Water must, within 18 months of the commencement of this plan, develop a roster for the equitable sharing of available water under low flow conditions. Melbourne Water must develop the roster in consultation of water users. 16.2 Melbourne Water must do its best to ensure water users comply with any roster agreed to under clause 16.1.	No	https://inflo.mwc.melbournewater.com.au/ inflo/cs.exe/properties/71127344	16.1 - As reported in previous years, due to the highly intermittent nature of the resource, and small number of diverters with markedly different requirements, developing an effective way of sharing lower flows has not been found. Timing of flows and ability to effectively prolong access to the resource through rosters is not considered effective in these flashy catchments. As highlighted in no. of day on ban, access days are already limited in these catchments. We will seek to amend this clause at the next plan amendment with "investigate and implement where feasable a rostering system for the equitable sharing of available water under low flow conditions"
17	AESTHETIC DAMS 17.1 For the purposes of this clause, a dam is: (a) operated for aesthetic purposes, if it is constructed after the commencement of this SFMP and is used for aesthetic or recreational purposes; but (b) not operated for such purposes if it is: (i) constructed or used for domestic, stock, irrigation or commercial purposes; or (ii) designed specifically for environmental, rather than aesthetic or recreational purposes and is used for erosion control or nature conservation purposes. 17.2 A person must not operate a dam by taking, collecting, storing or concentrating water for aesthetic purposes at any time when, in the opinion of Melbourne Water, the volume of evaporation from that dam alone, or in combination with evaporation from other dams operated for aesthetic purposes in the Protection Area, would cause the allocation cap for the Protection Area to be exceeded.	Yes	Number of new dam on waterway licences.	Compliant
18	MONITORING THE EFFECTS OF THE PLAN 18.1 Within 12 months after the commencement of this SFMP, Melbourne Water must propose to the Minister a program to monitor the implementation of the SFMP. 18.2 A program proposed under sub-clause 18.1 must include arrangements to monitor: (a) the effects of the SFMP on the reliability of supply to licensees within the Protection Area; and (b) the ability of the provisions to maintain environmental flows set out in Schedule 3; and (c) in-stream environmental indicators within the Protection Area; and (d) indicators against which Melbourne Water's performance in implementing this SFMP can be measured. 18.3 The Minister may: (a) approve a program proposed under sub-clause 18.1; or (b) approve that program, subject to amendments made by the Minister; or (c) refuse to approve the program. 18.4 Melbourne Water must implement a program in the form approved by the Minister under sub clause 18.3.	Yes	Annual reporting & 5 Year review	Monitoring and Evaluation of the plan occurs to inform the Annual Reporting and regular 5 year review processe The SFMP monitoring plan currently includes collection of data for environmental DNA (eDNA) identified for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using this eDNA (this is presence/absence and extent within each SFMP). EDNA data is used in the SFMP 5 year reviews to determine if any change in values is required based on findings.
19	REPORTING Note: Section 32C and 32D of the Act requires Melbourne Water to report on its activities in carrying out its duties in relation to this SFMP in each financial year and to: (a) give the report to the Minister and the Port-Phillip-Catchment Management Authority-by 30 September in each year; and	Yes	https://www.melbournewater.com.au/media/22606/download	2023-24 Annual Report submitted and received by the Minister within the agreed timeframe and copy available on Melbourne Water Website.
20	(h) make a copy available for public inspection at its offices. REVIEW OF PLAN Melbourne Water must: (a) review the operation of this SFMP: (i) not more than 5 years after it commences; and (ii) thereafter, at intervals of no more than 5 years; and (b) propose any consequential amendment (if any) to the Minister. Note: Sections 29, 31 and 326 of the Act provide for the constitution and convening of a consultative committee to develop any proposed amendment and the process to be followed by the Minister before approving it	Yes	2020 Five Year Review (available upon request)	Current reviewbrought forward. Final Draft available and Final document to be delivered in July 2025.

					OFFIC	IAL							
Ta Year	able 10. Steels	2013-14		xon Cre				•		2021-22	2022-23	2023-24	2024-25
Permissible Consumptive													
Volume (PCV)	Total [1]	1,684	1,684	1,684	1,684	1,684	1,684	1,684	1,684	1,684	1,684	1,874	1,874
	Total	92	92	92	92	92	92	92	91	91	90	90	90
	All Year	1	1	1	1	1	1	1	1	1	1	1	1
•	Winter-fill	16	16	16	16	16	16	16	16	16	15	15	15
No. of licences	Farm Dam Registration	73	73	73	73	73	73	73	73	73	73	73	73
	Farm Dam Licence	2	2	2	2	2	2	2	1	1	1	1	1
	Total	1,798.7	1,798.7	1,798.7	1,798.7	1,798.7	1,798.7	1,798.7	1,798.7	1,798.7	1791.7	1791.7	1791.7
	All Year [2]	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2	2	2
Falalalla and all as (DAL)	Winter-fill	621.0	621.0	621.0	621.0	621.0	621.0	621.0	636.0	636.0	629	629	629
Fotal allocated volume (ML)	Farm Dam Registration	1,128.7	1,128.7	1,128.7	1,128.7	1,128.7	1,128.7	1,128.7	1,128.7	1,128.7	1128.7	1128.7	1128.7
	Farm Dam Licence	47.0	47.0	47.0	47.0	47.0	47.0	47.0	32.0	32.0	32	32	32
No. of metered licences	Total	15	15	15	15	16	17	17	14	14	14	14	14
Total metered volume (ML)	Total	626	626	626	626	626	626	626	626	626	626	626	626
Total metered use	Total	204.7	188.78	177.11	229.64	229.64	104.2	264.7	152.82	134.42	129.1	99.16	88.57
Metered use as % of metered allocation	Total	32.7%	30.2%	28.3%	36.7%	36.7%	16.6%	42.3%	24.4%	21.5%	20.6%	15.8%	14.1%
Metered use as % of PCV	Total	12.2%	11.2%	10.5%	13.6%	13.6%	6.2%	15.7%	9.1%	8.0%	7.7%	5.3%	4.7%
Estimated Total Catchment Usage (ML)	Estimate			509	660	660	299	761	439	386	370	284	253
No. of licences with use greater than allocation	Total	0	0	0	0	0	0	0	0	1	1	0	0
Allocation surrendered within the WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	7	0	0
New allocation issued within the WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
Permanent transfers within of WSPA (ML)	Total	n/a	0	6	27.5	63	23	57	15	0	45	3	60
Temporary transfers within of WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
Permanent transfers out of WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
Temporary transfers out of WSPA (ML)	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
Number of new dam on	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
waterway licences issued		ŕ											
No. of dove on hon	Steels	262	327	348	255	351[2]	358	274	309	290	67	109	124
No. of days on ban	Dixons Pauls	343 350	343 357	354 361	308 324	347[2] 360	358 365	281 292	302 315	240 263	15 56	125 109	135 124
No. of days on restriction	Total	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	0	0
(-) not previously reported on as		Note 1: SF	,	/	,/		// .	,//	,//	// .	Ū	Ū	
an individual figure in the SFMP		allocation	limit at 16	84 ML									
annual report.		(988ML All	-Year and	696					_				
		Note 2:											
		Temporar	-	or greater Dixons an									
		y Access											
	for Dixon Creek and flows are above or equal to 15 ML/day. All other licence												
		Creek and				-							
	Steels conditions remain the same as current for this season ie maximum daily volumes and annual volumes on licences.												
		Creek		-			idilics oil i	necrices.					
		Winterfill	cences - http://inflo/inflo/cs.exe/open/42365033										
		December											
		2017		-			,						
				ary of the f			•						
				reek and St flo/inflo/c				:					
				reek custo			•						
			pumping	whilst our	Steels Cr	eek custor	ners had a	around 7					

days additional pumping.

Total flow 976 ML

Percentage of total flow 5%

Total Usage through meters 45 ML

Steels Creek

	Table 11. Stringybark Creek SFMP Annual Report Checklist		Í	
·				2024-25
Prescription No.	Prescription	Compliance	Supporting Data	Comments
1.	PROHIBITIONS ON GRANTING NEW LICENCES Melbourne Water must refuse an application under section 51(1)(a) or (ba) of the Act if this will, or may, cause the total volume of water taken in any year under: all licences to exceed 2664 ML; or all-year licences to exceed 1527 ML.	Yes	Diversions Data Model and Reporting-2024(Current licenced volume remains below Allocation Cap since 2019 due to 87ML winterfill licence being traded out to the Yarra River (Upper) . No new licences issued and trading confined to within catchment.
2.	LICENCE CONDITIONS A licence granted under section 51 of the Act is subject to each condition set out in Schedule 1, in relation to that licence's purpose.	Yes	Victorian Water Register	Occurring
3	TRANSFERRING LICENCES 3.1 Melbourne Water may grant an application made under section 62(3) of the Act to permanently transfer a licence upstream or downstream from a location within the Protection Area and without reduction in volume. 3.2 Melbourne Water must refuse an application made under section 62(3) of the Act to permanently or temporarily transfer a licence if this will cause the limits referred to in prescription 1 to be exceeded. 3.3 Subject to prescription 3.4 if approving an application to permanently transfer a licence into or within the Protection Area, Melbourne Water must amend its conditions to ensure that it is a licence for the purpose of dam-filling where Melbourne Water deems that this is practical. 3.4 In deciding whether to amend, delete or add to the conditions to which a licence is subject when it is permanently transferred, Melbourne Water may have regard to whether the location at which water is taken or collected will, or will not, change. 3.5 Melbourne Water may grant an application made under section 62(3) to temporarily transfer a licence into or within the Protection Area without amending its conditions.	Yes	Victorian Water Register	All transfers stayed within the Stringybark Creek catchment. All transfers in accordance with Melbourne Water's requirements as delegated Diversions Manager and Prescription 3.
4	ROSTERS AND RESTRICTIONS 4.1 Melbourne Water may prepare and implement rosters or restrictions in accordance with the principles specified in prescription 4.2 to specify a maximum volume or percentage allocation of water that a licensee may take or use on any rostered day (or lesser roster period). 4.2 In developing rosters or restrictions Melbourne Water must have regard to the need to: (a) maintain flows above the minimum levels specified under licence conditions 1.1 and 1.2 of Schedule 1; (b) limit the number of days upon which licensees are unable to take water because of the effect of licence conditions 1.1 and 1.2 Schedule 1; (c) take account of: (i) the relative requirements of different crops and other uses of land water; (ii) differences between types of licences, maximum volumes which may be taken under licences, and pumping capacities; and (iii) the need for all licensees to have a fair and reasonable access to available water, given the matters referred to in sub-paragraphs (i) and (ii)	Yes	https://inflo.mwc.melbournewater.com.a u/inflo/cs.exe/properties/71127344	Melbourne Water imposes restrictions, rosters and bans under the principles and triggers detailed in Melbourne Water's Drought Response Plan for Licensed Water Users taking into account the requirements of Stream Flow Management Plans where relevant.
5	Note: Section 67 of the Act allows Melbourne Water to grant a licence to construct works etc. This includes operation of dams. Section 71 of the Act allows Melbourne Water to grant a licence to construct works etc. This includes operation of dams. Section 71 of the Act empowers Melbourne Water to set conditions for these licences. 5.1 Melbourne Water will not issue any licence under section 67 of the Act to construct a dam on a watercourse. 5.2 For the purposes of clause 5.3, a dam is: (a) operated for aesthetic purposes if it is constructed after the commencement of this Plan and is used for recreational purposes; but (b) not operated for aesthetic purposes if it is: (i) constructed or used for domestic and stock, irrigation or commercial purposes; or (ii) designed specifically for environmental, rather than aesthetic or recreational purposes and is used for erosion control or nature conservation purposes. 5.3 A person must not operate a dam by taking or storing water for aesthetic purposes at any time when, in the opinion of Melbourne Water, the volume of evaporation from that dam alone, or in combination with evaporation of other aesthetic dams in the Protection Area, would cause the combined volume taken under licences and aesthetic dams to exceed the limits referred to in prescription 1. 5.4 The total volume of water for domestic and stock purposes that may be taken from all private dams within a subdivision must not exceed the greater of: (a) the total volume taken from all private dams on that land before the relevant plan of subdivision was approved; and (b) the total volume required for domestic and stock purposes on that land, as determined by Melbourne Water in accordance with the Notes on Aesthetic Dams in the Irrigation and Commercial Farm Dams Compendium of Ministerial Guidelines and Procedures.			Yarra Ranges Shire Council are responsible for subdivisions. As a result to our knowledge the total volume of water for domestic and stock purposes has not exceeded the total volume of water from all private dams on that land. Melbourne Water undertakes field observations and acts on reports received from the general community to assess the impact of aesthetic dams. No community reports regarding aesthetic dams were received during this reporting period. To Melbourne Water's knowledge no aesthetic dams exist that breach the requirements of this prescription.
6	MONITORING 6.1 Melbourne Water must install a stream flow gauging station on Stringybark Creek at the easterly road crossing on St Hubert's Rd Coldstream at DSE's cost. 6.2 Melbourne Water must: (a) continuously record flows at the Clegg Rd and St Hubert's Rd gauging stations; (b) periodically inspect the condition of each gauging station; (c) maintain each gauging station in good condition; and (d) keep a record of each inspection and work undertaken under paragraph (a) or (b). 6.3 Melbourne Water must install a flow meter to measure water taken for irrigation or commercial purposes under any actively used licence greater than S ML in volume granted within the Protection Area under section 51(1)(a) or (ba) of the Act. 6.4 Melbourne Water must: (a) periodically inspect the condition of each flow meter installed under prescription 6.3; (b) maintain each flow meter in good condition; (c) replace any damaged flow meter; and (d) keep a record of all work done under paragraph (b) and (c). 6.5 Melbourne Water must: (a) read each meter referred to in prescription 6.3 at least: (i) once in every year in the case of an all-year licence; and (ii) shortly after the beginning and end of the dam-filling period in every year, in the case of a licence for the purpose of dam-filling; and (b) record, for each meter: (i) the reading obtained; (ii) the number of the relevant licence; (iii) the date on which the meter is read; and (iv) any information about the accuracy of the meter which Melbourne Water considers relevant; and (c) if a meter becomes defective, registers incorrectly or is removed for any reason, estimate the correct registration in any of the following ways: (i) by comparison with the quantity of water taken under similar conditions during some other period; (ii) by comparison with the quantity of water taken after the meter has been restored to proper order; (iii) by comparison with the registration of a substitute meter used temporarily in place of the defective meter; or (iv) by applying a correction factor if	Yes	management/waterway- diversions/stringybark-creek-(lower)	Melbourne Water meters all active users greater than 5ML. Meter inspection occurring regularly in line witgh operational plans. Meter maintenance data captured in Melbourne Water's Asset Management system (Maximo). Maintenance of meters is scheduled every 3 years. Program available from Regional Services team. Melbourne water monitors flows continuously at: • the Clegg Road gauging station (229401A); • the St Hubert's Road gauging station (229247B). The SFMP monitoring plan is currently being updated to reflect the use of environmental DNA (eDNA) to provide surveillance data for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using eDNA (this is presence/absence and extent within each SFMP).
7	REDRESSING HISTORICAL OVERUSE 7. Where historical overuse has occurred, Melbourne Water may approve an application under Section 62(3) of the Act to permanently transfer a licence within the first 12 months after the commencement of the Plan without being subject to prescription 3.3 if this will address the volume of overuse. REVIEW OF PLAN	Yes	2020 Five Year Review (available upon	NA
	8. Melbourne Water must: (a) review the implementation and object of this Plan: (i) five years after it commences; and (ii) thereafter, at intervals of no more than five years; and (b) propose any consequential amendment (if any) to the Minister.	Yes	request)	Next Review due in 2026/27

Table 12. Stringybark Creek SFMP annual reporting data													
Year	Year	2013-14	2014-2015	2015-16	2016-17	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	2023-24	2024-25
Permissible Consumptive /olume (PCV)	Total	2,664	2,664	2,664	2,664	2,664	2,664	2,664	2,664	2,664	2,664	2,664	2,664
	Total	130	129	128	128	128	126	126	126	126	127	126	127
	All Year Winter-fill	33 22	31 22	29 23	29 23	29 23	31 19	29 21	28 22	28 22	28 22	27 22	27 23
No. of licences	Farm Dam	69	69	69	69	69	69	68	68	68	69	69	69
	Registration		_	_	_	_	_						
	Farm Dam Licence	6	7	7	7	7	7	8	8	8	8	8	8
	Total [3] All Year	2,700.2 223.0	2,700.2 208.0	2,700.2 205.0	2,698.2 205.0	2,698.2 205.0	2,611.2 223.0	2,611.2 205.0	2,611.2 200.0	2,611.2 200.0	2579.2 168	2611.2 190	2611.2 190
Total allocated volume	Winter-fill	1,215.0	1,215.0	1,218.0	1,216.0	1,216.0	1,111.0	1,157.0	1,162.0	1,172.0	1172	1172	1172
ML)	Farm Dam	1,124.2	1,124.2	1,124.2	1,124.2	1,124.2	1,124.2	1,086.2	1,086.2	1,086.2	1086.2	1086.2	1086.2
	Registration Farm Dam Licence	138.0	153.0	153.0	153.0	153.0	153.0	163.0	163.0	153.0	153	163	163
No. of metered licences	Total	39	39	38	38	55	50	52	35	35	35	40	40
otal metered volume	Total	1,357	1370	1330	1358	1387	1277	1313	1263	1324	1299	1401	1401
Actual metered use (ML) ²	Total	487.7	533.6	634.4	610.91	573.4	511.8	610.85	257.29	325.29	346.79	314.7	370.46
Metered use as % of metered allocation	Total	35.9%	38.9%	47.7%	45.0%	41.3%	40.1%	46.5%	20.4%	24.6%	26.7%	22.5%	26.4%
Metered use as % of PCV	Total	18.3%	20.0%	23.8%	22.9%	21.5%	19.2%	22.9%	9.7%	12.2%	13.0%	11.8%	13.9%
Estimated Total Catchment Usage (ML)	Estimate			1288	1214	1115	1047	1215	532	642	689	587	690
No. of licences with use greater than allocation	Total	2	0	0	1	3	5	6	5	2	5	1	1
Allocation surrendered within the WSPA (ML)	Total [3]	n/a	9	0	2	2	87	0	0	0	0	0	0
New allocation issued within the WSPA (ML)	Total	n/a	0	0	0	0	0	10	0	0	0	0	
Permanent transfers within WSPA (ML)	Total [4]	85	21	82	21	4	117	299	195	0	7	10	0
Temporary transfers within WSPA (ML)	Total [5]	25	25	38	35	28	25	45	28	46	32	39	41
Permanent transfers out of WSPA (ML)	Total	0	0	0	0	0	87	0	0	0	0	0	0
Temporary transfers out of WSPA (ML)	Total	0	0	0	0	0	0	0	0	0	0	0	0
Number of new dam on waterway licences issued	Total	n/a	0	0	0	0	0	0	0	0	0	0	0
Number of days on ban	Upper	86	120	158	106	76	191	79	29	49	15	0	56
Number of days on	Lower Total	111 N/A	7 N/A	230 N/A	186 N/A	237 N/A	249 N/A	42 N/A	0 N/A	0 N/A	26 0	187 0	313 0
restriction Note 1: A 7 ML licence for		Note 3:		Note 5:	(-) not	N/A	N/A	N/A	N/A	N/A	U	U	U
environmental purposes acquired during the Stream flow Tender Program is now accounted for in the Yarra Environmental Entitlement Amendment 2010. Not included in Figures.	estimations of use are made for unmetered licences	formal administrat ive processing of the licence. 9ML volume was	transfers that occurred in the catchment were related to sale of land and transfer to the new owner.	the issue of these licences to be appropriate	individual figure in the SFMP annual report.								

Tubic 15. W	oori Yallock Creek SFMP Annual Report Checklist				
Prescription	Prescription	Compliance	Supporting Data	Link to MW data	2024-25 Comments
No. 6.1	ALLOCATION CAP a) The Allocation Cap in Woori Yallock Creek Water Supply Protection Area will be 8,828 ML. b) Melbourne Water may not issue licences above Allocation Cap except when this is a result of a renewal of an existing allocation within the catchment or any of the circumstances as prescribed in prescriptions 8.1(1) and 8.1(5)	Yes	Supporting Data	Emil to MANA Hala	Allocation cap exceeded by historic licences. No new licences issued and trading confined to within catchment.
6.2	c) Melbourne Water will work from the current allocation level of 9.548.2 ML in the Protection Area towards an Allocation IMPLEMENTATION OF MINIMUM ENVIRONMENTAL FLOWS a) For the purpose of this clause, a licensee is the holder of a licence issued under section 51(1)(a) of the Act for any purpose other than stock and domestic use and registered farm dam licences. b) Melbourne Water must ensure that licensees comply with licence conditions referred to in Schedule 1.	Yes	Diversions Data Model and Reporting-20240102 - Power BI		Compliance with licence conditions is monitored using: • Usage data from meters in the catchment; • Acting on reports of non-compliance from the public; and • Undertaking spot checks This uses the assumption that if licence conditions are adheredto, then the minimum flows requirement is being met.
6.3	LICENCE CONDITIONS A licence granted under section 51 of the Act is subject to each condition set out in Schedule 1, in relation to that licence's purpose.	Yes	Victorian Water Register		The WSPA licence conditions detailed in Schedule 1 have been applied to all take-and-use licences issued
6.4.	MAXIMUM DAILY VOLUME Melbourne Water must amend all licences within the Woori Yallock Creek catchment so that the Maximum Daily Volume is not greater than two per cent of the annual volume.	Yes	Victorian Water Register		The WSPA licence condition 6 detailed in Schedule 1 has been applied to all take-and-use licences issued, restricting the maximum daily volume to two per cent of the annual volume.
6.5.	ROSTERS, RESTRICTIONS AND BANS Melbourne Water must prepare and implement rosters or restrictions in accordance with the principles specified in prescription 6.6 to specify a maximum volume or percentage allocation of water that a licensee may take or use on any rostered day (or lesser roster period).	Yes	https://inflo.mwc.melbournewater.com.au/inflo/cs.exe/properties/71127	344	Rosters and restrictions are in place and detailed in Melbourne Water's Drought Response Plan
6.6.	IMPLEMENTATION OF ROSTERS, RESTRICTIONS AND BANS Melbourne Water must amend their 'Drought Response Plan for Licensed Water Users' to incorporate the rosters, restrictions and ban requirements outlined in this Plan to include volume based restrictions as prescribed in Schedule 1. Unmetered licence holders will only be able to take water on rostered days as defined in 'Drought Response Plan for Licensed Water Users'.	Yes	https://www.melbournewater.com.au/media/717/download_		The WSPA roster, restriction and ban licence conditions detailed in Schedule 1 have been applied to all take-and-use licences issued. The Drought Response Plan has been updated to reflect the requirements as prescribed in Schedule 1. Updated DRP issued to licence holders March 2016.
	LICENCE TRANSFERS Note – Section 62 of the Act empowers Melbourne Water to approve or reject an application to temporarily or permanently transfer a licence subject to consideration of matters listed under section 53.	Yes	<u>Delegated Diversion Manager</u>		As Required
7.1.	MATTERS THAT MUST BE TAKEN INTO ACCOUNT When exercising its power under Section 53 and 40 of the Act to decide whether to amend, delete or add to the conditions to which a licence is subject when it is transferred or renewed, Melbourne Water must have regard to whether the location at which water is taken or collected will, or will not, change.	Yes	Delegated Diversion Manager	Trades & Transfers 2014- 15	As Required
7.2.	LICENCE TRANSFERS INTO THE WOORI YALLOCK CREEK WSPA a) Melbourne Water must not approve an application to transfer a licence into the Protection Area under section 62(3) of the Act until such a time as the Allocation Cap referred to in prescription 6.1(a) is achieved. b) Upon reaching the Allocation Cap referred to in prescription 6.1(a), Melbourne Water must not approve an application to transfer a licence into the Protection Area under section 62(3) of the Act if, in its opinion, the approval of the application will cause the Allocation Cap referred to in prescription 6.1(a) to be exceeded.	Yes	Licence transfers in 2021-22	Trades & Transfers 2014- 15	Permanent Trade - 143.4ML Temporary Trades - 227.6 Reductions in accordance with SFMP.
7.3.	GENERAL CONDITIONS ASSOCIATED WITH LICENCE TRANSFERS If approving an application to permanently or temporarily transfer a licence to take and use water within the Protection Area, Melbourne Water must: a) Amend the conditions of that licence to ensure that water may only be taken or collected during the dam-filling period; or b) Require that the volume of the licence be reduced by 20 per cent; or c) For transfer other than downstream transfers, amend the conditions of that licence to ensure that water only be taken or collected during the dam-filling period and require that the volume of the licence be reduced by 20 per cent.	Yes	Licence transfers in 2021-22	<u>Trades & Transfers 2014-</u> 15	
7.4.	CESSATION OF THE 20 PER CENT REDUCTION OF LICENCE VOLUME ON TRANSFER a) Upon reaching the Allocation Cap referred to in prescription 6.1(a), the requirement to reduce by 20 per cent the licence volume on transfer of licence under prescriptions 7.3(b), 7.3(c), 7.7 and 7.8 ceases. b) Upon reaching the Allocation Cap referred to in prescription 6.1(a), prescription 7.6 no longer applies	N/a	Licence transfers in 2021-22	<u>Trades & Transfers 2014-</u> 15	NA .
7.5	TRADING ZONES The Woori Yallock Creek WSPA will be divided up into seven trading zones based on the REALM sub-catchments. Transfer rules within the Woori Yallock Creek WSPA will be based on these trading zones. Licences issued 'below all gauges' will be managed as part of Sub-catchment E.	Yes	Licence transfers in 2021-22	Trades & Transfers 2014- 15	
7.6	DOWNSTREAM TRANSFERS IRRESPECTIVE OF THE TRANSFER ZONE Subject to prescription 7.4(b), in approving an application to permanently or temporarily transfer a licence to take and use water downstream irrespective of transfer zone, Melbourne Water must either: a) amend the conditions of that licence to ensure that water is only taken or collected during the dam-filling period; or b) require that the volume of the licence be reduced by 20 per cent.	Yes	Licence transfers in 2021-22	Trades & Transfers 2014- 15	Downstream trades reduced by 20% or converted to winterfill
7.7	UPSTREAM TRANSFERS WITHIN A TRADING ZONE Upstream transfers must be converted to the dam-filling period (Winter fill) and the volume of the licence be reduced by 20 per cent subject to prescription 7.4(a).	Yes	Licence transfers in 2021-22	Trades & Transfers 2014- 15	Nii
7.8	TRANSFERS BETWEEN TRADING ZONES Transfers between Woori Vallock sub-catchments will only be allowed into sub-catchments where the 80 per cent reliability sub-catchment has not been exceeded and must be converted to the dam-filling period (Winter fill) and the volume of the licence reduced by 20 per cent subject to prescription 7.4(a).	Yes	<u>Licence transfers in 2021-22</u>	<u>Trades & Transfers 2014-</u> <u>15</u>	
7.9	TRANSFERS OUT OF THE WOORI YALLOCK CREEK WSPA Transfers of licence volumes downstream and out of the Woori Yallock Creek WSPA will be subject to the licence conditions of the destination catchment.	Yes	Licence transfers in 2021-22	Trades & Transfers 2014- 15	1 Temporary Trade of 75 ML to Yarra River (Upper)
8.1	PROHIBITIONS ON GRANTING NEW ALLOCATIONS Section 32A(3)(d) of the Act allows for a management plan to prescribe restriction or prohibitions on the issue of licences under Section 51 or 67. 1. Melbourne Water must not issue a licence under section 51(1)(a) or (ba) of the Act until the allocation level in the Protection Area is at or below the Allocation Cap referred to in prescription 6.1(a), unless the issue of the licence is as a result of: a) a transfer of a licence under section 62 of the Act; b) the surrender of licences to be replaced by consolidated licences or divided licences or licences with different conditions; c) the surrender of a registration licence to be replaced by a licence in accordance with Section 51A of the Act; or d) a sale of water by a water corporation or Minister — and the licence is issued for a volume not greater than the volume of the water as transferred, surrendered, or purchased in the above categories. 2. If the allocation level is at or below the Allocation Cap referred to in prescriptions 6.1(a), Melbourne Water must not issue a licence under section 51(1)(a) or (ba) if this would cause the Allocation Cap referred to in prescriptions 6.1(a) to be exceeded. 3. Melbourne Water must not issue a licence under section 51(1)(a) or (ba) for the dam-filling period cap as described in prescription 8.1(4) to be exceeded. 4. For the purposes of this prescription, the dam-filling period cap is 4,029.5 ML plus the volume of any all year licences transferred to dam-filling licences where Melbourne Water considers that the beneficial effect on summer flows outweighs the risk of adverse effect on winter flows. 5. Despite the above, Melbourne Water may at any time issue a licence — a) within clause 8(b) of the Permissible Consumptive Volume Surface Water Order 2010 (as amended from time to time); or b) if the licence includes a condition that requires all the water to be returned to the waterway or to be used in the waterway for non-consumptive purpose.	Yes	Allocation granted in 2021-22	Trades & Transfers 2014- 15	
9.1	METER INSTALLATION Melbourne Water must install a flow meter to measure water taken for irrigation or commercial purposes under any actively used licence greater than 5 ML in volume granted within the Protection Area under section 51(1)(a) of the Act. The cost of new metering under this clause must be met by the applicant.	Yes	Number of metered licences		New Compliant AS4747 meters installed during 2023/24
9.2	METER MAINTENANCE PROGRAM Melbourne Water must: a) periodically inspect the condition of each flow meter installed under prescription 9.1; b) maintain each flow meter in good condition; c) replace any damaged flow meters; and d) keep a record of all work done under paragraph (b) and (c).	Yes			Meter maintenance data captured in Melbourne Water's Asset Management system (Maximo). Maintenance of meters is scheduled every 3 years. Program available from Diversions team.
9.3.	Melbourne Water: must read each meter referred to in prescription 9.1 at least: once in every year in the case of all-year licences; and shortly after the beginning and end of the dam-filling period in every year, in the case of a licence for the purpose of dam filling; and must record, for each meter: the reading obtained; the number of the relevant licence; the date on which the meter is read; and may if a meter becomes defective, registers incorrectly or is removed for any reason, estimate the correct registration in any of the following ways: by comparison with the quantity of water taken under similar conditions during some other period; by comparison with the quantity of water taken after the meter has been restored to proper order; by comparison with the registration of a substitute meter used temporarily in place of the defective meter; or by applying a correction factor if the meter is found to have a consistent error in registration.	Yes	Diversions Database		Meters are read and photographed as required. Note for winterfill meters, these are read at the start and end of the licensing period

Table 13. V	Voori Yallock Creek SFMP Annual Report Checklist		OFFICIAL	
				2024-25
10.1	FLOW MONITORING PROGRAM Section 32a(3)(a) of the Act allows management plans to prescribe requirements for metering and monitoring. Melbourne Water must: a) continuously record flows at the Seville East (on Wandin Yallock Creek 229681), Yellingbo (on Woori Yallock Creek 229679), Nangana (on Shepherds Creek 229677 and Cockatoo Creek 229248) and Yellingbo (on McCrae Creek 229678); b) periodically inspect the condition of each gauging station; c) maintain each gauging station in good condition; and d) keep a record of each inspection and work undertaken under paragraph (a) and (b).	Yes	Environmental Water Resources - Power Bl	Melbourne Water monitors flows continuously at: • Wandin Yallock Creek at Seville East gauging station (2296818); and • Woori Yallock Creek at Yellingbo gauging station (2296798) • Shepherd Creek at Nangana gauging station (229677A) • Cockatoo Creek at Nangana gauging station (229248A) • McCrae Creek at Yellingbo gauging station (229678A)
10.2	PLAN IMPLEMENTATION MONITORING PROGRAM Within 12 months of the approval of this Plan, Melbourne Water must propose to the Minister a program to monitor the implementation of the Plan, including arrangements to monitor: a) the effects of the Plan on the reliability of supply to licensees; b) the ability of the provisions to maintain environmental flows set out in Schedule 1; and c) in-stream environmental indicators.	Yes	Annual reporting & 5 Year review	Monitoring and Evaluation of the plan occurs to inform the Annual Reporting and regular 5 year review processes. The SFMP monitoring plan currently includes collection of data for environmental DNA (eDNA identified for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using this eDNA (this is presence/absence and extent within each SFMP). eDNA data is used in the SFMP 5 year reviews to determine if any change in values is required based on findings.
10.3	MINISTERIAL APPROVAL OF MONITORING PROGRAM The Minister may: a) approve a plan proposed under prescription 10.2; b) approve that plan, subject to amendments made by the Minister; or c) refuse to approve the plan.	Yes	Annual reporting & 5 Year review	Monitoring and Evaluation of the plan occurs to inform the Annual Reporting and regular 5 year review processes. The SFMP monitoring plan currently includes collection of data for environmental DNA (eDNA identified for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using this eDNA (this is presence/absence and extent within each SFMP). eDNA data is used in the SFMP 5 year reviews to determine if any change in values is required based on findings.
10.4	IMPLEMENTATION OF MONTORING PLAN Melbourne Water must implement a monitoring plan in the form approved by the Minister under prescription 10.2	Yes	Annual reporting & 5 Year review	Monitoring and Evaluation of the plan occurs to inform the Annual Reporting and regular 5 year review processes. The SFMP monitoring plan currently includes collection of data for environmental DNA (eDNA identified for all 7 SFMP catchments. Long term trends and changes in the condition of priority native fish and platypus are now being monitored using this eDNA (this is presence/absence and extent within each SFMP). eDNA data is used in the SFMP 5 year reviews to determine if any change in values is required based on findings.
11.1	CONSTRUCTION OF NEW ON-STREAM DAMS Melbourne Water must not issue any licence under section 67 of the Act to construct a new dam on a waterway.	Yes	Number of new dam on waterway licences	Nii
11.3	RESTRICTIONS ON THE OPERATION OF AESTHETIC DAMS A person must not operate a dam by taking or storing water for aesthetic purposes at any time when, in the opinion of Melbourne Water, the volume of evaporation from that dam alone, or in combination with evaporation of other aesthetic dams in the protection area, would cause the combined volume taken under licences and aesthetic dams to exceed the limits referred to in Prescription 8.1: Prohibitions on granting new allocations.	Yes		Melbourne Water undertakes field observations and acts on reports received from the general community to assess the impact of aesthetic dams. No community reports regarding aesthetic dams were received during this reporting period. To Melbourne Water's knowledge no aesthetic dams exist that breach the requirements of this prescription. Melbourne Water has initiated a project to identify changes in farm dam numbers and size using a GIS based tool.
11.4	DAMS ON SUB-DIVISIONS The total volume of water for domestic and stock purposes that may be taken from all private dams within a subdivision must not exceed the greater of: a) the total volume taken from all private dams on that land before the relevant plan of subdivision was approved; or b) the total volume required for domestic and stock purposes on that land, as determined by Melbourne Water in accordance with the Reasonable Domestic and Stock Guidelines for Rural and Residential Properties contained in the Ministerial Policies for Registering Private Dams in Rural Residential Areas.	Yes		Yarra Ranges Shire Council are responsible for subdivisions. As a result, to our knowledge the total volume of water for domestic and stock purposes has not exceeded the total volume of water from all private dams on that land
12.1	COMPLIANCE AND REPORTING Melbourne Water must report on its duties in relation to this Plan in each financial year and give the report to the Minister and the Port Phillip and Westernport Catchment Management Authority by 30 September in each year; and make a copy available for public inspection on its website.	Yes	https://www.melbournewater.com.au/media/22606/download	2023-24 Annual Report submitted and received by the Minister within the agreed timeframe and copy available on Melbourne Water Website.
12.2	REVIEW OF THE PLAN Melbourne Water must review the implementation and objectives of this Plan five years after it commences; and thereafter; at intervals of no more than five years. Any consequential amendment will be proposed to the Minister.	Yes	2019 Five Year Review (available upon request)	Melbourne Water completed a review in 2025. With the reduction in licence volume now under the PCV, MW is investigating options on whether the plan needs to be amended.

Table 14. Woori Yallock Creek SFIVIP annual reporting data													
Year	Year	2013-2014	2014-2015	2015-16	2016-17	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	2023-24	2024-25
Permissible Consumptive	Total	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0	8,828.0
Volume (PCV)	Winter-fill	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5	4,029.5
	Total	714	705	700	696	681	681	678	677	684	680	678	665
	All Year	441	431	428	412	407	407	404	402	409	401	399	389
No. of licences	Winter-fill Farm Dam	115	116	115	116	115	115	115	116	117	119	119	117
	Registration	140	140	140	141	141	141	141	141	141	141	141	141
	Farm Dam Licence	18	18	17	17	18	18	18	18	17	19	19	18
	Total	9,351.8	9,304.8	9,214.8	9,071.6	9,089.6	9,095.0	9,086.2	8,840.4	8,905.0	8,950.03	9,044.83	8,955.83
Tatal allacated values	All Year	6,494.8	6,436.8	6,349.8	6,194.6	6,180.6	6,186.0	6,183.2	5,928.6	5,968.2	5971.2	6106	6019
Total allocated volume (ML)	Winter-fill Farm Dam	1,349.2	1,360.2	1,372.2	1,384.2	1,399.2	1,399.2	1,393.2	1,402.0	1,432.0	1457.03	1434.03	1432.03
(WIL)	Registration	1,115.3	1,115.3	1,115.3	1,115.3	1,115.3	1,115.3	1,115.3	1,115.3	1,115.3	1115.3	1115.3	1115.3
	Farm Dam Licence	392.5	392.5	377.5	377.5	394.5	394.5	394.5	394.5	389.5	406.5	389.5	389.5
No. of metered licences	Total	357	359	341	336	329	362	358	330	330	331	358	352
Total metered volume (ML)	Total	6721.00	6797.20	6541.40	6341.47	6194.20	6165.10	5793.10	6202.73	6277.93	6336.93	6799.4	6701.43
Total metered use (ML)	Total	2328.5	2252.8	2506.25	1863.1	2278.7	2166.8	1112.5	1286.1	1634.38	1291.49	1592.7	1594.51
Metered use as % of metered allocation	Total	34.6%	33.1%	38.3%	29.4%	36.8%	35.1%	19.2%	20.7%	26.0%	20.4%	23.4%	23.8%
Metered use as % of PCV	Total	18.1%	17.5%	19.5%	14.5%	17.7%	16.9%	8.7%	10.0%	12.7%	10.0%	12.4%	12.4%
Estimated Total Catchment Usage (ML)	Estimate			3531	2665	3344	3197	1745	1833	2318	1824	2119	2131
No. of licences with use greater than allocation	Total	10	10	9	4	13	23	9	9	13	10	3	1
Allocation surrendered within the WSPA (ML)	Total	n/a	26	22	45	42	22	10	29	29	0	0	29
New allocation issued within the WSPA (ML)	Total	n/a	n/a	0	0	0	0	0	0	0	0	0	0
Permanent transfers within WSPA (ML)	Total	407	270.4	291	576	223.2	411	319	119.0	49.0	66.4	143.4	285.9
Temporary transfers within WSPA (ML)	Total	74	166	259	200	248.0	394.0	199.0	325.0	202.0	119.2	84.6	205.8
Permanent transfers out of WSPA (ML)	Total	0	87	42	50	14.0	7.0	0.0	22.0	10.0	0	0	6
Temporary transfers out of WSPA (ML)	Total	n/a	50	20	75	149.0	0.0	149.0	149.0	75.0	75	75	85
Number of new dam on waterway licences issued	Total	n/a	n/a	0	0	0	0	0	0	0	0	0	0
	Remaining catchmer	7	2	88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	Cockatoo/	n/a	n/a	n/a	44	83	194	5	0	0	0	0	13
Number of days on ban	Shepherds McCrae Creek	7	2	88	12	176	264	45	1	0	0	0	45
	Wandin Yallock	18	15	104	1	99	115	20	0	11	0	0	18
	Woori Yallock												
	Mainstem	n/a	n/a	n/a	0	58	189	12	0	0	0	0	6
	Remaining	39	90	106	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	Cockatoo/ Shepherds	n/a	n/a	n/a	111	115	76	69	30	44	0	0	119
Number of days on rosters	McCrae Creek	n/a	n/a	n/a	131	107	82	147	49	37	0	22	154
	Wandin Yallock	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0		0	0
	Woori Yallock	n/a	n/a	n/a	37	109	65	17	0	0	0	3	94
	Mainstem	11/51	11/ 5	11/ 01	<i>,</i>	103			Ŭ	Ŭ			

Note 1: In total across past five years there has been a reduction of 425ML. This has

surrender,

within the catchment.

(-) not previously reported on as an individual figure in the SFMP annual report.

been a result of Catchment includes 1 additional noncancellation or consumptive licence trade out of the for 1,606ML for catchment as well aquaculture (fish as through the farm). application of 20% reduction applying to particular trades